



ZHENG'S WAY

CATALOG 2024

**We Are A Reliable and
Qualified Ladder Supplier ***

FAMILY SAFETY DEDICATION

ZHEJIANG LEADER
INDUSTRY&TRADE CO.,LTD.



DEAR CUSTOMERS

We are **ZHENG'S WAY**. We have been designing and manufacturing ladders for many years.

It is my pleasure to address you as I introduce our **new edition of our annual product catalogue**.

At ZHENG'S WAY, we are committed to providing high-quality, safe, and reliable products while also emphasizing innovation and the courage to challenge ourselves. Our team approaches each step with utmost care, from selecting raw materials to production, inspection, and packaging, maintaining a **high level of focus** and **precision throughout**.

We firmly believe that this level of care and commitment to quality ensures that every ladder we produce meets and exceeds customer expectations. Not only do we strive to provide high-quality, safe products, but we also continuously innovate, push boundaries, and offer customers more convenience and comfort.

Thank you for your trust and support. With your cooperation, we look forward to a future full of sustained growth, success, and mutual prosperity.



Hi everyone, I'm Niki, the wife of Mr. Zheng, and we own the ladder brand you see today. The story of ZHENG'S WAY is story of dedication, precision and most importantly, love.

You may be thinking the love we share for each other but it really is the love my husband Mr. Zheng has for ladders and more importantly his customers.

If you call Mr. Zheng **any day of the year at any time of the day** you'll probably find him in our **factory** hammering away at some new ladder contraption he is about to release. Sometimes I look at those ladders and feel jealous, but I have never met a man more

dedicated to his craft more than Mr. Zheng. **This love for his craft**, ladders shows.

Our clients know that each and everyone of our ladders are built with precision and stamped with the Mr. Zheng stamp of approval.

Warmly regards,

NIKI 庄飞燕

General Manager

YOUR LONG-TERM STABLE PARTNER.

1. Innovation

- 1.1 We released 6 new series of ladders totaling over 100 ladders last year.
- 1.2 Three designers with over 8 years of experience
- 1.3 Annual R&D investment exceeds 1 million

2. Quality Control and Certification

- 2.1 All products undergo 15 processes to achieve refinement
- 2.2 Certification: ISO, SGS and CE

3. Cost and Lead Time

- 3.1 Independent production, automation rate exceeds 80%
- 3.2 Advantages in raw material cost due to scale procurement
- 3.3 Standard products delivered immediately, OEM customization delivered in 6 weeks

4. Flexible Business Cooperation

- 4.1 MOQ lower than industry average
- 4.2 Customized products available (assist customers in new product design and development)
- 4.3 Sample support for customer market expansion

5. Market Assurance

- 5.1 Ensure the interests of partners are addressed locally
- 5.2 Guaranteed after-sales service system

6. Customer Coverage

- 6.1 Over 1000 global cooperative customers
- 6.2 Products cover 80 countries worldwide
- 6.3 Become a long-term stable partner of 400 well-known brand merchants

7. Corporate Strength

- 7.1 Over 16 years of production and foreign trade experience
- 7.2 5000 square meters factory site
- 7.3 Over 200 employees

8. Sales Support

- 8.1 24-hour online service
- 8.2 Provide sales materials for customer sales
- 8.3 Support promotional cooperation plans for cooperative customers

In today's fiercely competitive business environment, the success of a company depends not only on its financial performance but also on its social responsibility. Let's explore together the efforts we have made and the achievements we have accomplished in these areas.

We want to dress the world responsibly

Contemporary businesses are increasingly emphasizing the fulfillment of social responsibilities while pursuing economic benefits. As a production and trading company, we firmly believe that environmental protection, sustainability, employee care, and safety are our undeniable responsibilities. Additionally, we actively participate in various social welfare activities to contribute positively to society.

Environmental protection

Firstly, we are committed to environmental protection and sustainable development. Throughout our production process, we strictly control emissions of exhaust gases, wastewater, and solid waste, implementing a series of measures to reduce our environmental impact. We also actively promote the concept of energy conservation and emission reduction, encouraging employees to save resources and reduce carbon emissions to collectively build a beautiful homeland.

Care and safety

Secondly, we place great importance on employee care and safety. We provide a favorable working environment and welfare benefits, caring for the physical and mental health of our employees by conducting regular health check-ups and psychological counseling activities. During the production process, we strictly adhere to safety operating procedures to ensure the personal safety of our employees, ensuring that each employee can work in a safe environment.

Social welfare activities

Furthermore, we actively participate in various social welfare activities, giving back to society and fulfilling our corporate social responsibilities. We donate to educational funds to support underprivileged students' education, engage in tree planting activities to contribute to environmental improvement, and participate in post-disaster reconstruction efforts to help rebuild homes for disaster-stricken communities. Through these initiatives, we hope to make a meaningful contribution to the social harmony and stability.

In the future, we will continue to adhere to the principles of environmental protection and sustainable development, focus on the health and safety of our employees, and continue to engage in various social welfare activities to strive for the sustainable development of our company and the shared prosperity of society.






NEW PRODUCTS	STEP STOOLS	TELESCOPIC LADDERS
01-02	03-04	05-13
MULTI-FUNCTION LADDERS	HOUSEHOLD LADDERS	DOUBLE SIDE LADDERS
14-20	21-27	28-32
STEEL LADDERS	WORKING PLATFORM	FIBERGLASS LADDERS
33-36	37-39	40-43
CONSTRUCTION LADDERS	ATTIC STAIRS AND ESCAPE LADDERS	RECOMMENDED PRODUCTS
44-49	50-51	52

HOT-SELLING PRODUCT TREND

- WEBSITE CLICKS EXCEEDED 10,000 IN THE 4TH QUARTER OF 2023
- MOST BELOVED SINGLE ITEM AT THE COLOGNE EXHIBITION IN MARCH 2024




ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-JY103MW	3	109	67	68.5	45	4.41	8X45X119
AY-JY104MW	4	135	93	86.5	45	4.86	8X45X145
AY-JY105MW	5	161	119	104.5	45	5.31	8X45X171



BUDGET-FRIENDLY NEW PRODUCT

- COMPARED WITH THE SAME TYPE OF PRODUCTS MADE OF OTHER MATERIALS, THE PRICE IS 30% LOWER
- BEAUTIFUL APPEARANCE, WIDE RANGE OF USES, JOINTLY CREATED BY MULTIPLE DESIGNERS



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-T003F	3	110	65	55	38	3.5	127X28X48
AY-T004F	4	130	85	69	38	4.8	152X28X48
AY-T005F	5	160	115	87	38	6.1	180X28X48
AY-T006F	6	183	138	104	38	7.5	204X28X48



330 LBS


AY-H003


AY-HT003

ITEM NO: AY-H002
STEPNUMBER: 2
PRODUCT USE HEIGHT: 44.5CM
OPEN SIZE: 46X52.5X61CM
FOLDING SIZE: 46X5.5X66CM
PANCKING SIZE: 49X8X69CM/CTN
ITEM NO: AY-H003
STEPNUMBER: 3
PRODUCT USE HEIGHT: 69CM
OPEN SIZE: 46X69X86CM
FOLDING SIZE: 46X5.5X91CM
PANCKING SIZE: 49X8X94CM/CTN
ITEM NO: AY-H004
STEPNUMBER: 4
PRODUCT USE HEIGHT: 93CM
OPEN SIZE: 46X82X112CM
FOLDING SIZE: 46X5.5X117CM
PANCKING SIZE: 49X8X120CM/CTN

STEEL



AY-T004G

330
LBSSTURDY
JOINTSANTI SLIP
FOOT PADHANDRAIL
FOR SAFETY USAGESREINFORCEMENT
STRIPS

ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-T002G	2	76	42.5	48	41	3.55	86X6X42.5
AY-T003G	3	102	68.5	66	41	5.00	112X6X42.5
AY-T004G	4	128	94.5	84	41	6.45	138X6X42.5
AY-T005G	5	154	120.5	102	41	7.90	164X6X42.5




EN



AY-ZJ1038A

330 LBS



SAFETY LOCK
EASY TO USE



GRIP HANDLE WITH
ERGONOMIC DESIGN



FULL RUBBER
ANTI-SLIP FOOT PADS



SELF-LOCKING
MECHANISMS

ACCESSORIES




ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-ZJ1020A	7	45	66	200	4.6	46X7X68
AY-ZJ1026A	9	46	72	260	6.2	46X7.5X75
AY-ZJ1029A	10	47	75	290	6.9	47.5X9X78
AY-ZJ1032A	11	47	78	320	7.9	47.5X9X81
AY-ZJ1038A	13	47	84	380	10.0	47.5X9X88
AY-ZJ1041A	14	48	88	410	11.4	47.5X10X91
AY-ZJ1044A	15	48	91	440	11.5	47.5X10X94
AY-ZJ1050A	15	48	98	500	14.1	49X10X100
AY-ZJ1062A	16	49	109	620	16.0	50X10X109

STAINLESS STEEL



AY-ZJ1038S

330 LBS



SAFETY LOCK
EASY TO USE



GRIP HANDLE WITH
ERGONOMIC DESIGN




FULL RUBBER
ANTI-SLIP FOOT PADS




SELF-LOCKING
MECHANISMS

ACCESSORIES



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	N.W(KG)	G.W(KG)	PACKINGSIZE(CM)
AY-ZJ1020S	7	46	65.5	200	5.4	6.0	47.5X6.5X68
AY-ZJ1026S	9	47	72	260	7.4	8.1	48.0X7.0X74
AY-ZJ1029S	10	47	74	290	8.4	9.1	48.0X7.5X76
AY-ZJ1032S	11	48	78	320	9.6	10.3	48.0X7.5X80
AY-ZJ1038S	13	48	84	380	11.9	12.7	49.0X8.0X86
AY-ZJ1041S	14	48	87	410	13.1	13.9	49.0X8.5X89
AY-ZJ1044S	15	48.5	90	440	14.5	15.3	49.5X9.0X92

ALUMINUM ALLOY



AY-ZJ1038

330 LBS



**SAFETY LOCK
EASY TO USE**



**GRIP HANDLE WITH
ERGONOMIC DESIGN**



**BALANCE BAR
WITH ANTI SLIP DESIGN**



**SELF-LOCKING
MECHANISMS**




**SELF-LOCKING
MECHANISMS**



**ANTI SLIP ALUMINUM
SQUARE RUNG**



Soft Close Design



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-ZJ1020	7	45	66	200	5.8	68X7X46
AY-ZJ1026	9	46	72	260	6.7	75X7.5X46
AY-ZJ1029	10	47	75	290	7.7	78X9X47.5
AY-ZJ1032	11	47	78	320	8.6	81.5X9X47.5
AY-ZJ1038	13	47.5	84	380	10	88X9X47.5

ALUMINUM ALLOY

EN131-6



AY-ZJ1032

330 LBS



SAFETY LOCK
EASY TO USE



GRIP HANDLE WITH
ERGONOMIC DESIGN



BALANCE BAR
WITH ANTI SLIP DESIGN




SELF-LOCKING
MECHANISMS



RUBER TOP LNCREASED
FRICTION AGAINST THE WALL



ANTI SLIP ALUMINUM
SQUARE RUNG



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	N.W(KG)	G.W(KG)	PACKINGSIZE(CM)
AY-ZJ1032	11	47	88	320	11.35	12.4	53.5X11X93
AY-ZJ1038	13	48	92	380	13.5	14.7	54.5X11X97

ALUMINUM ALLOY



AY-ZJ1023T-1



AY-ZJ1026T-2




AY-ZJ1023T-3



ACCESSORIES



330 LBS




ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-ZJ1020T	7	45	70	203	4.6	70X47X8.5
AY-ZJ1023T	8	46	73	234	5.5	72X46X9
AY-ZJ1026T	9	46	76	264	6.2	78X47X9

ALUMINUM ALLOY



AY-ZJ3032A

330 LBS



SAFETY LOCK
EASY TO USE



FULL RUBBER
ANTI-SLIP FOOT PADS



GRIP HANDLE WITH
ERGONOMIC DESIGN



JOINT LOCK
UNLOCK LEVER




BALANCE BAR
WITH ANTI SLIP DESIGN



ANTI SLIP ALUMINUM
SQUARE RUNG

ACCESSORIES



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-ZJ3032A	2X5	48	82	156	320	11.10	47X17X89
AY-ZJ3038A	2X6	48	85	183	380	12.95	48X17X90
AY-ZJ3044A	2X7	48	87	209	440	14.75	48X17X92
AY-ZJ3050A	2X8	48	91	237	500	17.05	49X17X95
AY-ZJ3056A	2X9	48	94	266	560	19.25	49X18.5X97.5

STAINLESS STEEL




EN



AY-ZJ3032S

330 LBS



SAFETY LOCK
EASY TO USE



FULL RUBBER
ANTI-SLIP FOOT PADS



GRIP HANDLE WITH
ERGONOMIC DESIGN



JOINT LOCK
UNLOCK LEVER




BALANCE BAR
WITH ANTI SLIP DESIGN



ANTI SLIP ALUMINUM
SQUARE RUNG

ACCESSORIES




ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	G.W(KG)	PACKINGSIZE(CM)
AY-ZJ3032S	2X5	47.5	82	157	320	13.1	13.9	49X15X84
AY-ZJ3038S	2X6	47.5	85	185	380	15.3	16.1	49X16X87
AY-ZJ3044S	2X7	48	88	213	440	18.2	19.0	49X16X91
AY-ZJ3050S	2X8	48.5	91	242	500	21.0	22.0	49.5X16X94

ALUMINUM ALLOY



AY-ZJ3032B

330 LBS



SAFETY LOCK
EASY TO USE



SUPPORT ROD
FOR STABILITY



GRIP HANDLE WITH
ERGONOMIC DESIGN



JOINT LOCK
UNLOCK LEVER




FULL RUBBER
ANTI-SLIP FOOT PADS



ANTI SLIP ALUMINUM
SQUARE RUNG

ACCESSORIES



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-ZJ3032B	2X5	48	82	156	320	12.10	48X18X89
AY-ZJ3038B	2X6	48	85	183	380	15.45	50X18X90
AY-ZJ3044B	2X7	48	87	209	440	17.40	49X17X92
AY-ZJ3050B	2X8	48	91	237	500	19.60	49X17.5X95
AY-ZJ3056B	2X9	48	94	266	560	21.90	49X18X97

ALUMINUM ALLOY



AY-ZJ3044C

330 LBS



JOINT LOCK
UNLOCK LEVER



FULL PLASTIC
BUTTONS



STABLE TRIANGULAR
ALUMINUM ALLOY STRUCTURE



BETTER
ALUMINUM MATERIAL




ANTI SLIP
ALUMINUM
SQUARE RUNG



BALANCE BAR

ACCESSORIES




ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-ZJ3032C	2X5	50	82	156	320	13.3	89X19X50
AY-ZJ3038C	2X6	50	85	185	380	15.2	92X19X50
AY-ZJ3044C	2X7	50	88	213	440	17.1	95X19X50
AY-ZJ3050C	2X8	50	91	242	500	19.3	98X20X50
AY-ZJ3056C	2X9	50	94	271	560	21.4	101X20X50

STEEL




AY-ST403

12 12 TYPES OF DEFORMATIONS



330 LBS



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	E(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-ST403	4X3	37	99	99	175	360		99X28X37
AY-ST404	4X4	37	126	126	226	470		124X28X37
AY-ST405	4X5	37	154	154	280	580		152X28X37



EN



AY-404


12

12 TYPES OF DEFORMATIONS



ANTI SLIP FOOT PAD


330 LBS



JOINT LOCK
UNLOCK LEVER



ALUMUNUM RUNG
WITH ANTI SLIP PATTERN



ITEM NO STEPNO A(CM) B(CM) C(CM) D(CM) E(CM) N.W(KG) PACKINGSIZE(CM)

AY-402 4X2 37 74 74 120 250 8.0 72X28X37

AY-403 4X3 37 99 99 175 360 9.6 99X28X37

AY-404 4X4 37 126 126 226 470 11.0 124X28X37

AY-405 4X5 37 154 154 280 580 12.5 152X28X37

ALUMINUM ALLOY



AY-503

12

12 TYPES OF DEFORMATIONS



ANTI SLIP FOOT PAD



JOINT LOCK
UNLOCK LEVER



ALUMINUM RUNG
WITH ANTI SLIP PATTERN

330 LBS



ITEM NO STEPNO A(CM) B(CM) C(CM) D(CM) E(CM) N.W(KG) PACKINGSIZE(CM)

AY-502 4X2 36 67 67 120 240 9.3 67X26X36

AY-503 4X3 36 95 95 170 350 10.6 95X26X36

AY-504 4X4 36 123 123 225 460 11.9 122X26X36

AY-505 4X5 36 150 150 279 570 13.3 151X26X36

AY-506 4X6 36 178 178 330 680 14.6 180X26X36




AY-803

330 LBS

12 12 TYPES OF DEFORMATIONS




ANTI-SLIP FOOT PADS



ANTI SLIP FOOT PAD



ALUMUNUM RUNG WITH ANTI SLIP PATTERN



ITEM NO STEPNO A(CM) B(CM) C(CM) D(CM) E(CM) N.W(KG) PACKINGSIZE(CM)

AY-803 4X3 52 97 97 173 354 9.7 98X28X53

AY-804 4X4 42 125 125 223 464 10.7 126X28X53

AY-805 4X5 52 153 153 273 564 12.5 154X28X53

FIBERGLASS



AY-FL403

330 LBS

12

12 TYPES OF DEFORMATIONS




BIG HINGES



BALANCE BARS



ALUMUNUM RUNG WITH ANTI SLIP PATTERN



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	E(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-FL402	4X2	38	67	67	120	240	12.0	67X28X38
AY-FL403	4X3	38	95	95	170	350	14.0	95X28X38
AY-FL404	4X4	38	123	123	225	460	16.0	122X28X38
AY-FL405	4X5	38	150	150	279	570	17.1	151X28X38
AY-FL406	4X6	36	178	178	330	680	19.3	177X28X38

ALUMINUM ALLOY




AY-604

330 LBS



SAFETY LOCK
EASY TO USE





JOINT LOCK
UNLOCK LEVER



ANTI-SLIP FOOT PADS



BALANCE BAR
WITH ANTI SLIP DESIGN



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	E(CM)	F(CM)	N.W/G.W(KG)	PACKINGSIZE(CM)
AY-603	4X3	92	92	147	48	184	295	8.5/9.5	95X20X46.5
AY-604	4X4	120	120	197	48	240	420	10.2/11.2	122X21X49
AY-605	4X5	145	145	260	52	293	510	12.0/13.5	151X21X53
AY-606	4X6	176	176	300	52	350	620	14.0/16.2	179X21X55

ALUMINUM ALLOY




AY-603

330 LBS




SAFETY LOCK
EASY TO USE



JOINT LOCK
UNLOCK LEVER




ANTI-SLIP FOOT PADS



BALANCE BAR

WITH ANTI SLIP DESIGN



ITEM NO STEPNO A(CM) B(CM) C(CM) D(CM) E(CM) F(CM) N.W/G.W(KG) PACKINGSIZE(CM)


AY-603 4X3 107 103 160 330 56 114 10.0/11.4 110X20.5X59

AY-604 4X4 138 131 219 450 56 149 12.1/13.8 140X20.5X59

AY-605 4X5 168 161 278 570 68 186 14.3/16.5 172X21.5X51/69

AY-606 4X6 198 190 333 690 68 225 16.3/18.8 201.5X21.5X51/69

AY-607 4X7 230 218 390 810 80 271.5 18.8/21.7 235X21.5X51/69



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-JY002	2	88	40	59	37	2.1	95.5X37X12
AY-JY003	3	108	60	68	39.5	2.4	118X39.5X12
AY-JY004	4	128	80	83	42	2.8	137X43X12
AY-JY005	5	148	100	98	45.5	3.2	159X45X12
AY-JY006	6	168	122	105	47	3.7	181X47X12
AY-JY007	7	188	140	119	49.5	4.2	201X49X12
AY-JY008	8	208	160	133	52	4.7	222X51X12

ALUMINUM

&

STAINLESS STEEL



EN




WIDEN ANTI-SKID STRIPS CAN BE CUSTOMIZED

AY-JY103

330 LBS




COMFORTABLE NON-SLIP HANDLE




WIDEN ANTI-SKID PEDALS



REINFORCED CONSTRUCTED



SELF-LOCKING MECHANISMS




ALUMINUM

ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-JY103	3	115	72	57	49	3.0	127X48X28 5PCS/CTN
AY-JY104	4	141	97	74	52	4.2	152X53X28 5PCS/CTN
AY-JY105	5	165	122	87	55	5.4	179X56X28 5PCS/CTN
AY-JY106	6	190	146	103	58	6.2	206X58X28 5PCS/CTN

STAINLESS STEEL

AY-JY103C	3	115	72	57	49	3.8	127X48X28 5PCS/CTN
AY-JY104C	4	141	97	74	52	5.2	152X53X28 5PCS/CTN
AY-JY105C	5	165	122	87	55	6.2	179X56X28 5PCS/CTN
AY-JY106C	6	190	146	103	58	7.4	206X58X28 5PCS/CTN



ALUMINUM ALLOY



AY-JY103XB

330 LBS



COMFORTABLE
NON-SLIP HANDLE






WIDEN ANTI-SKID
PEDALS



REINFORCED
CONSTRUCTED



SELF-LOCKING
MECHANISMS



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-JY103XB	3	115	72	57	49	3.0	127X48X28 5PCS/CTN
AY-JY104XB	4	141	97	74	52	4.2	152X53X28 5PCS/CTN
AY-JY105XB	5	165	122	87	55	5.4	179X56X28 5PCS/CTN
AY-JY106XB	6	190	146	103	58	6.2	206X58X28 5PCS/CTN

ALUMINUM ALLOY



AY-P003

330 LBS



EASY TO FOLD & UNFOLD




STABLE TRIANGULAR STRUCTURE



PREVENT FALLING



HOLD TOOLS



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-P003	3	127	74	73	54	3.6	142X55X38 4PCS/CTN
AY-P004	4	151	98	87	59	4.2	168X60X38 4PCS/CTN
AY-P005	5	175	122	101	64	5.1	194X65X38 4PCS/CTN

ALUMINUM ALLOY



AY-JY605XB

330 LBS



ANTI SLIP PEDAL



ANTI SLIP FOOT PAD



FOLDABLE ONNECTING ROD




STRENGTHENED JOINTS



TOOLS PEDAL



RODS FOR REINFORCEMENT



ITEM NO	STEPNO	STEP DISTANCE(CM)	OPEN SIZE(CM)	N.W/G.W(KG)	PACKINGSIZE(CM)
AY-JY604XB	4	24	136X71X49	5.30/6.30	149X51X7
AY-JY605XB	5	24	161X86X49	6.40/7.40	174X52X7

ALUMINUM ALLOY



AY-JY104W

330 LBS



ANTI SLIP FOOT MAT



REINFORCED CROSS BAR




HANDDRAIL FOR SAFETY USAGES




REINFORCEMENT STRIPS



WIDENED PEDAL



X SHAPE STRIPS FOR SAFETY



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-JY102W	2	83	41	47.5	45	3.96	93X45X8
AY-JY103W	3	109	67	68.5	45	4.41	119X45X8
AY-JY104W	4	135	93	86.5	45	4.86	145X45X8
AY-JY105W	5	161	119	104.5	45	5.31	171X45X8

ALUMINUM ALLOY



AY-S004

330 LBS




FOOTSTEP




ROTATING SHAFT DESIGN



PEDAL INTEGRATED DESIGN



PEDAL CONNECTION




ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-S002	2X2	49	53	42	37	1.7	54X37X49(4PCS/CTN)
AY-S003	3X3	73	78	60	38	2.4	80X39X49(4PCS/CTN)
AY-S004	4X4	98	108	77	40	3.1	106X41X49(4PCS/CTN)
AY-S005	5X5	122	131	95	42	3.9	132X43X49(4PCS/CTN)
AY-S006	6X6	145	157	112	44	4.6	158X45X49(4PCS/CTN)

ALUMINUM ALLOY



AY-F003

330 LBS




ANTISLIP
PEDAL




MECHANICAL
FIXATION



DURABLE
PLASTIC
CONNECTORS



NON SLIP
FOOT PAD



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-F001	1X1	28	32	26	34	1.0	33X34X49(4PCS/CTN)
AY-F002	2X2	49	53	42	37	1.7	54X37X49(4PCS/CTN)
AY-F003	3X3	73	78	60	38	2.4	80X39X49(4PCS/CTN)
AY-F004	4X4	98	108	77	40	3.1	106X41X49(4PCS/CTN)
AY-F005	5X5	122	131	95	42	3.9	132X43X49(4PCS/CTN)
AY-F006	6X6	145	157	112	44	4.6	158X45X49(4PCS/CTN)

ALUMINUM ALLOY



AY-G004

330 LBS



ANTI-SKID STEP




SUPPORT BAR



DURABLE ALUMINUM CONNECTORS



ANTI-SKID RUBBER FEET




ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	E(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-G002	2X2	37	42	37	18	33	1.7	43X38X17.5
AY-G003	3X3	58	56	39	18	33	2.3	66X40X17.5
AY-G004	4X4	80	72	41	18	33	2.9	89X42X17.5
AY-G005	5X5	102	87	44	18	33	3.6	112X45X17.5
AY-G006	6X6	123	102	46	18	33	4.4	135X47X17.5
AY-G007	7X7	145	137	49	18	33	5.0	158X49X17.5



AY-L004

330 LBS



ANTISLIP
PEDAL



MECHANICAL
FIXATION



MORE STABLE
FIXTURES



NON SLIP
FOOT PAD





ITEM NO	STEPNO	OPEN HEIGHT(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-L003	3	90	3.10	90X(34.5/34.4)X15.5
AY-L004	4	120	4.45	120X(34.5/38.0)X15.5
AY-L005	5	150	5.30	150X(34.5/41.6)X15.5
AY-L006	6	180	6.20	180X(34.5/45.2)X15.5
AY-L007	7	210	7.15	210X(34.5/48.8)X15.5
AY-L008	8	240	8.10	240X(34.5/52.4)X15.5
AY-L009	9	270	9.05	270X(34.5/56.0)X15.5
AY-L010	10	300	10.05	300X(34.5/59.6)X15.5
AY-L011	11	330	11.25	330X(34.5/63.2)X15.5
AY-L012	12	360	12.55	360X(34.5/66.8)X15.5

ALUMINUM ALLOY



ISO

EN

BSCI
Business Social Compliance Initiative**AY-L005****330** LBSANTISLIP
PEDALMECHANICAL
FIXATIONMORE STABLE
FIXTURESNON SLIP
FOOT PAD

ITEM NO	STEPNO	OPEN HEIGHT(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-L003	3	90	3.10	90X(34.5/34.4)X15.5
AY-L004	4	120	4.45	120X(34.5/38.0)X15.5
AY-L005	5	150	5.30	150X(34.5/41.6)X15.5
AY-L006	6	180	6.20	180X(34.5/45.2)X15.5
AY-L007	7	210	7.15	210X(34.5/48.8)X15.5
AY-L008	8	240	8.10	240X(34.5/52.4)X15.5
AY-L009	9	270	9.05	270X(34.5/56.0)X15.5
AY-L010	10	300	10.05	300X(34.5/59.6)X15.5
AY-L011	11	330	11.25	330X(34.5/63.2)X15.5
AY-L012	12	360	12.55	360X(34.5/66.8)X15.5

STEEL



AY-T002E

330 LBS



THICKEN STEEL FRAME




LARGE & STABLE RUBBER FEET



STRENGTHEN CONNECTING SHAFT



SAFETY LOCK



STRONG MATERIAL
Safe to climb

- No Assembly Required
- Sturdy Construction
- Anti slip
- Premium Quality Materials

STRONG MATERIAL
Safe to climb


- No Assembly Required
- Sturdy Construction
- Anti slip
- Premium Quality Materials

ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-T002E	2	81	47	47	47	3.8	87.5X48X30(4PCS/CTN)
AY-T003E	3	104	70	61	47	5.1	113.5X47X30(4PCS/CTN)

STEEL


330
LBS

AY-T003

AY-T003A


ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-T002	2	90	47	49	48	4.5	99X28X48(4PCS/CTN)
AY-T003	3	115	72	65	48	6.0	127X28X48(4PCS/CTN)
AY-T004	4	140	97	81	48	7.8	152X28X48(4PCS/CTN)
AY-T005	5	164	122	99	48	9.4	178X28X48(4PCS/CTN)
AY-T006	6	188	146	117	48	10.6	204X28X48(4PCS/CTN)



AY-T003C

ISO

EN

 BSCI
 Business Social Compliance Initiative

330
 LBS

AY-T003D


ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-T002D	2	106	47	49	53	4.8	99X28X48(4PCS/CTN)
AY-T003D	3	131	72	65	53	6.3	127X28X48(4PCS/CTN)
AY-T004D	4	155	97	83	53	8.3	152X28X48(4PCS/CTN)
AY-T005D	5	167	122	99	53	10.6	178X28X48(4PCS/CTN)

STEEL



AY-T003B

330 LBS



STURDY HANDRAIL



DOUBLE RIVETS FOR REINFORCEMENT



REINFORCE STRIPS




ANTI SLIP WIDENED PEDAL



ANTI SLIP FOOT PAD



STRIPS FOR REINFORCEMENT



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-T002B	2	78	46	52	46	3.7	88.5X47X20(4PCS/CTN)
AY-T003B	3	102	69	68	46	5.4	114X47X20(4PCS/CTN)
AY-T004B	4	126	92	86	46	6.8	139X47X20(4PCS/CTN)
AY-T005B	5	147	113	107	46	8.0	163X47X20(4PCS/CTN)
AY-T006B	6	170	136	122	46	9.3	187X47X20(4PCS/CTN)



AY-X003

330 LBS



SAFETY LOCK DESIGN




ANTI SLIP PEDAL



ANTI SLIP STRIPES



NON SLIP FOOT PAD



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	E(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-X003	1	96	30	50	129	38	7.3	100.5X19.5X40
AY-X003A	1	87	30	46	117	53	7.7	92X20.6X40
AY-X003B	2	115	30	68	162	53	10.4	118.5X25X40
AY-X003C	2	125	30	66	175	53	10.6	130X20.5X40

ALUMINUM ALLOY


330 LBS




EN



AY-X001



STURDY ACCESSORIES FOR REINFORCEMENT




ENHANCED STABILITY FOOT PEDALS




ANTI SLIP FOOT PAD



SAFETY LOCK DESIGN




MULTIPLE RIVETS FOR INCREASED STABILITY



MULTIPLE ANTI-SLIP STRIPES



AY-X002




ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	E(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-X001	1	76	30	50	112	40	3.6	79X15X41
AY-X001B	1	69	30	50	101	40	3.6	75X15X40
AY-X002	1	86	30	50	118	38	4.8	90.5X17X38
AY-X002B	2	86	30	77	118	38	5.6	90X17X42
AY-X002C	2	99	30	77	151	41	6.0	104X17X41
AY-X002D	1	90	60	60	133	69	7.9	95X16X69.5
AY-X002E	1	60	60	50	95	68	6.0	65X17X68

STEEL



AY-X004





ANTI SLIP STRIPS



330 LBS

FOLDABLE FOOT DESIGN

ACCESSORIES



ITEM NO	A(CM)	B(CM)	C(CM)	D(CM)	E(CM)	N.W(KG)	PACKINGSIZE(CM)	PACKINGSIZE(CM)
AY-X004	42	30	23	53	36	2.3	32X8X44 1PCS/CTN	43.5X31.5X47 6PCS/CTN
AY-X004B	48	30	23	62	36	2.5	32X8X50 1PCS/CTN	45X34X53 5PCS/CTN
AY-X004C	62	37	23	82	43	2.7	38.5X8X64 1PCS/CTN	47X41X67 5PCS/CTN



330 LBS



AY-FL007B
FIBERGLASS


AY-FL008D
ALUMINUM



NON SLIP
FOOT PAD



ANTISKID
PEDAL



FOLDABLE
CONNECTING ROD



TOP ANTI
SLIP PEDAL

ITEM NO	NO.OF STEP	HEIGHT	SPACING BETWEEN RUNGS	LOAD	N.W(KG)	KING SIZE(CM)
AY-FL004B	2X4	120	30	150	6.8	120X48X19
AY-FL005B	2X5	150	30	150	8.2	151X42X19
AY-FL006B	2X6	180	30	150	10.0	180X44X19
AY-FL007B	2X7	210	30	150	11.5	210X45X19
AY-FL008B	2X8	240	30	150	13.3	240X47X19
AY-FL009B	2X9	270	30	150	15.3	270X48X19
AY-FL010B	2X10	310	30	150	17.3	300X50X19



AY-FL207


330 LBS



DOUBLE LAYER LADDER WITH REMOVABLE STEP




WHEEL ROPE ROLLING STRUCTURE



ANTI SLIP FOOT PAD



ANTI-SLIP ACCESSORY



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-FL207	7+7	260	380	40	42	13.5	265X45X16
AY-FL208	8+8	290	440	40	42	15.0	295X45X16
AY-FL209	9+9	320	500	40	42	16.5	325X45X16
AY-FL210	10+10	350	560	40	42	18.0	355X45X16
AY-FL211	11+11	380	620	40	42	19.5	385X45X16
AY-FL212	12+12	410	680	40	42	21.1	415X45X16
AY-FL213	13+13	440	740	40	42	22.6	445X45X16
AY-FL214	14+14	470	800	40	42	24.2	475X45X16
AY-FL215	15+15	500	860	40	42	25.7	505X45X16
AY-FL216	16+16	530	920	40	42	27.3	535X45X16
AY-FL217	17+17	560	980	40	42	28.9	565X45X16
AY-FL218	18+18	590	1040	40	42	30.4	595X45X16
AY-FL219	19+19	620	1100	40	42	32.0	625X45X16
AY-FL220	20+20	650	1160	40	42	37.0	655X45X16



FIBERGLASS




EN



330 LBS




AY-FL003G



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-FL003G	3	116	127	73	48	4.9	50X15X129
AY-FL004G	4	144	157	89	52	6.0	54X15X159
AY-FL005G	5	173	188	104	56	7.1	58X15X191
AY-FL006G	6	201	218	119	60	8.3	62X15X230
AY-FL007G	7	230	249	135	64	9.6	66X15X251



AY-FL003H



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-FL003H	3	174	610	90	88	10.8	92X24X190
AY-FL004H	4	202	650	105	116	12.8	107X24X220
AY-FL005H	5	230	690	119	145	15.3	120X24X251




AY-FL007L
FIBERGLASS



330 LBS




NON SLIP
FOOT PAD



ANTISKID
PEDAL



FOLDABLE
CONNECTING ROD



TOOLS
ORGANIZER

AY-FL008C
ALUMINUM



ITEM NO	NO.OF STEP	HEIGHT	SPACING BETWEEN RUNGS	LOAD	N.W(KG)	KING SIZE(CM)
AY-FL004L	4	120	30	150	5.8	125X42X18
AY-FL005L	5	150	30	150	7.2	155X44X18
AY-FL006L	6	180	30	150	8.6	185X46X18
AY-FL007L	7	210	30	150	10.5	215X48X18
AY-FL008L	8	240	30	150	11.5	245X50X18
AY-FL009L	9	270	30	150	13.0	275X50X18
AY-FL010L	10	300	30	150	14.3	305X54X18


ALUMINUM ALLOY

**AY-208****330 LBS**

BALANCE BAR

NYLON ROPE
FOR SUPPORT2 SECTION
STRUCTURE

ANTI SLIP STEP



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-206	2X6	170	253	36	42	6.0	170X11X42
AY-207	2X7	198	310	36	42	7.0	198X11X42
AY-208	2X8	225	365	36	42	7.8	225X11X42
AY-209	2X9	253	421	36	42	8.5	253X11X42
AY-210	2X10	281	477	36	42	9.4	281X11X42
AY-211	2X11	309	534	36	42	10.0	309X11X42
AY-212	2X12	338	590	36	42	11.0	338X11X42
AY-213	2X13	366	646	36	42	11.5	366X11X42
AY-214	2X14	395	702	36	42	12.5	395X11X42



AY-307

330 LBS



BALANCE BAR




NYLON ROPE FOR SUPPORT



3 SECTION STRUCTURE



ANTI SLIP STEP



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-306	3X6	170	253	337	32	9.4	170X45X16
AY-307	3X7	198	310	420	32	10.7	198X45X16
AY-308	3X8	225	365	503	32	11.8	225X45X16
AY-309	3X9	253	421	589	32	13.4	253X45X16
AY-310	3X10	281	477	673	32	14.5	281X45X16
AY-311	3X11	309	534	758	32	16.5	309X45X16
AY-313	3X13	366	646	926	32	17.8	366X45X16
AY-314	3X14	395	702	1010	32	19.0	394X45X16

ALUMINUM ALLOY



AY-1107

330 LBS



PEDALS WITH ANTI-SLIP PATTERN






SAFER AND MORE RELIABLE ROLLED EDGE PROCESS



ANTI SLIP FOOT PAD



ANTI SLIP TOP ACCESSORIES



ITEM NO	STEPNO	A(CM)	B(CM)	N.W(KG)	PACKINGSIZE(CM)
AY-1107	7	37	196	3.0	196X37X8
AY-1109	9	37	250	4.0	250X37X8
AY-1111	11	37	300	4.5	300X37X8
AY-1112	12	37	340	5.3	340X37X8
AY-1114	14	37	390	6.0	390X37X8
AY-1116	16	37	450	6.3	450X37X8




AY-A205


330 LBS



JOINT LOCK
UNLOCK LEVER



ANTI SLIP
FOOT PAD



ANTI SLIP RUNG



CURLED EDGE
DESIGN



ITEM NO	STEPNO	STRSIGHT HEIGHT(CM)	"A"TYPE HEIGHT(CM)	N.W/G.W(KG)	PACKINGSIZE(CM)
AY-A205	2X5	302	145	6.3/6.4	154X38X13.5
AY-A206	2X6	350	170	7.0/7.1	182X38X13.5
AY-A207	2X7	398	192	8.0/8.1	201X38X13.5

ALUMINUM ALLOY



AY-J0206


330 LBS



ANTI SLIP STEP




ROD FOR SUPPORT




BALANCE BAR



PLATFORM FOR WORKING



ITEM NO	STEPNO	A(CM)	B(CM)	C(CM)	D(CM)	N.W(KG)	PACKINGSIZE(CM)	PACKINGSIZE(CM)
AY-J0206	2X6	162	166	160	279	15.5	153X40X5.5	166X17X43
AY-J0207	2X7	162	193	185	307	16.4	153X40X5.5	193X17X43



ANTI SLIP
SAFETY FOOT PADSTURDY-USE
ACCESSORIESFOLDABLE
CONNECTING RODNYLON STRAP
FOR BUNDLING

JOINT HEAD



QUICK CLOSE BELT





ITEM NO	STEPNO	STEP DISTANCE(CM)	OPEN SIZE(CM)	N.W/G.W(KG)	PACKINGSIZE(CM)
AY-G203	2X3	30	113X93X44.5	4.5/5.4	124X13X9
AY-G204	2X4	30	142X114X44.5	5.3/6.3	154X13X9
AY-G205	2X5	30	171X136X44.5	6.6/7.6	185X13X9
AY-G206	2X6	30	200X160X44.5	7.8/8.8	214X13X9

ALUMINUM ALLOY




RETRACTABLE LADDER 3.4M





THE HOOKS SECURE THE LADDER TO THE WINDOW FRAME OR TO THE SILL OF MOST WINDOWS AND WON'T SLIP OFF. THE LADDER HOOK IS RETRACTABLE, PLEASE EXTEND THE LADDER HOOK AT BOTH ENDS TO THE MAXIMUM WHEN USING.

NO ASSEMBLY OR TOOLS ARE REQUIRED, EASY TO USE AND FAST TO DEPLOY, BUILT FOR EMERGENCIES. STRONG AND DURABLE ESCAPE LADDER, SLIP-RESISTANT RUNGS PROVIDE A STEADY FOOTHOLD, CAN ESCAPE QUICKLY AND EASILY.



RECOMMENDED PRODUCTS**Reclining Bed****Lounge Chair****Alumium Table****Hand Trolley****Folding Table****Storage Rack****Hand Truck****Clothes Hanger**



ZHENG'S WAY

ZHEJIANG LEADER INDUSTRY & TRADE CO., LTD.

ADD: Building 2, No. 2-1 Industrial Avenue, Longshan Town, Yongkang City, Jinhua City, Zhejiang Province

Web: www.zhengsway.com Email: niki@zjleader.com

TEL: 86-0579-87528718 FAX: 86-0579-87839199 Phone: 86-13858931028



Whats App



WeChat