



CONTACT US

Add: NO5/3.Kanglong 3rd Road, Xinmao Industrial Area,
Henglan Town Zhongshan City Guangdong Province.China

Website: <https://www.ur-lights.com>

Tel: +86 13925354948 +86 760 88752722 ex 603

Fax: +86 760 88752733

E-mail: urlighting@urlighting86.com afterservice@urlighting86.com

Facebook: UR Lighting




20 MAGNETIC TRACK LIGHT


TAKE YOU INTO THE WORLD WITHOUT
THESE LIGHTS

PRODUCTION OF LIGHTING INCLUDING LED DOWNLIGHTS, LED TRACK LIGHTS, LED WALL LIGHTS, LED CEILING LIGHTS, LED PENDANT LIGHTS AND LED MAGNETIC LAMP


Magnetic Track Strip



Magnetic Track Strip




B001-35A-Surface Mounted



Advantage

1. The Strongest Magnetic Field, Eliminate Shedding
2. Convenient Installation
3. Simple And Beautiful Shape

B001-35A-Recessed



Advantage

1. The Strongest Magnetic Field, Eliminate Shedding
2. Convenient Installation
3. Simple And Beautiful Shape
4. Thinner, Thinner And More Convenient
5. Keep up with the trend design more fashionable





Magnetic Track Lamp




Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
A004-35 CX	12W	304*35*70MM
A004-35 CX	20W	604*35*70MM
A004-35 CX	40W	1204*35*70MM




Magnetic Track Lamp




Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
A004A-35 CX	10W	305*34*49MM
A004A-35 CX	20W	605*34*49MM
A004A-35 CX	30W	905*34*49MM
A004A-35 CX	40W	1205*34*49MM




Magnetic Track Lamp




Information

CRI: 90
 Material: Aluminum
 LED Type: SMD3030
 Protection Class: IP20
 CCT: 3000-6500K



COLOR



LED **DC 48V** **IP20**

Item No.	Power	Dimension
A005-35 CX	10W	136*35*70MM
A005-35 CX	20W	270*35*70MM




Magnetic Track Lamp



Information

CRI: 90
 Material: Aluminum
 LED Type: SMD3030
 Protection Class: IP20
 CCT: 3000-6500K



COLOR



YOU CAN REPLACE
DIFFERENT COLORS AS YOU LIKE!

Item No.	Power	Dimension
A005A-35 CX	10W	137*34*49MM
A005A-35 CX	20W	270*34*49MM
A005A-35 CX	30W	405*34*49MM




Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K



COLOR



LED **DC 48V** **IP20** 

Item No.	Power	Dimension
A106-35 CX	10W	167*34*105MM
A106-35 CX	20W	312*34*105MM

SAFETY VOLTAGE

DC 48V SAFETY VOLTAGE IS ADOPTED, AND IT CAN BE TOUCHED DIRECTLY BY HAND WHEN THE PRODUCT IS POWERED ON, SO IT IS SAFE AND SAFE




Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD3030
Protection Class: IP20
CCT: 3000-6500K

COLOR



LED DC 48V IP20

Item No.	Power	Dimension
A107-35 CX	10W	167*34*105MM
A107-35 CX	20W	312*34*105MM



Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K

COLOR



LED DC 48V IP20 

Item No.	Power	Dimension
A135-35 CX	20W	340*307*70MM
C140-35-CX	20W	350*350*35MM

Magnetic Track Lamp





Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K


COLOR



LED DC 48V IP20 



Item No.	Power	Dimension
C140 CX-35	20W	350*350*34MM



SEALED PLATE

CONCEALED

SURFACE MOUNTED


LIFTING MODELS

Minimalistic magnetic adapters form one neat line when placed in the track. Fun with magnets and light. Simultaneously graphic and subtle, the Running Magnet is flexible, precise, and as creative as you. It is track lighting redesigned and elegantly refined.

INFORMATION



Surface Mounted




OPTION

- White
- Black

Quickinfo

TYPE	ITEM NO.	LENGTH
Aluminum copper 4-wire track	B001-20	1000mm
Aluminum copper 4-wire track	B001-20	2000mm
Aluminum copper 4-wire track	B001-20	3000mm

LENS



GENERAL ACCESSORIES

CONNECTION



Input module
B005-50CM/
B005-200CM
Copper



Straight connector
B007
Copper



Corner connector
B006
Copper



Corner connector
B041-20 T
Copper



Corner connector
B041-20 X
Copper



End Cap
plastic

TRANSFORMER



B054 48V 100W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:2.1A



B054 48V 150W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:4A



B054 48V 200W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:4A



B054 48V 240W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:6A



B054 48V 300W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:6A



B054 48V 400W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:8A

SUSPENDED ACCESSORIES



Suspension wire




ceiling fastener



Screw



Fastener for track rail



Self-tapping screws




Fixed expansion plastic



INFORMATION



Recessed



OPTION

- White
- Black

Quickinfo

TYPE	ITEM NO.	LENGTH
Aluminum copper 4-wire track	B001-20	1000mm
Aluminum copper 4-wire track	B001-20	2000mm

GENERAL ACCESSORIES

CONNECTION



Input module
B005-50CM/
B005-200CM
Copper



Straight connector
B007
Copper



Corner connector
B006
Copper



Corner connector
B041-20 T
Copper



Corner connector
B041-20 X
Copper



End Cap
plastic

TRANSFORMER



B054 48V 100W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:2.1A



B054 48V 150W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:4A



B054 48V 200W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:4A



B054 48V 240W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:6A



B054 48V 300W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:6A



B054 48V 400W
AC INPUT:170-265V
50-60Hz
DC OUTPUT:+48V
Current:8A

LENS




Black



White



Gold




Darkgray




Chrome




Rose Gold



THE EVOLUTION OF CONDUCTIVE BOXES




1 Pushed up directly that is no button at both ends.




2 Press and hold both buttons to push up.

No button.



3 The magnet of the conductive box releases the magnetic force to be attracted to the iron in the track bar.



The magnet of the conductive box releases the magnetic force to be attracted to the iron in the track bar.

No button.



Button






Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
A004-20 CX	10W	305*22*43MM
A004-20 CX	12W	407*22*43MM
A004-20 CX	20W	605*22*43MM
A004-20 CX	30W	905*22*43MM
A004-20 CX	40W	1205*22*43MM




Magnetic Track Lamp




Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K



COLOR



LED DC 48V IP20 

Item No.	Power	Dimension
A004-20 CY	12W	405*70*110MM




Magnetic Track Lamp




Information

CRI: 90
Material: Aluminum
LED Type: SMD3030
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
A005-20 CX	6W	127*22*44MM
A005-20 CX	12W	220*22*44MM
A005-20 CX	18W	330*22*44MM




Magnetic Track Lamp




Information

CRI: 90
Material: Aluminum
LED Type: SMD3030
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
C217-20 CD	12W	220*22*44MM



Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K

COLOR




LED DC 48V IP20



Item No.	Power	Dimension
A135-35 CX	20W	333*333*35MM

FAREWELL TO STROBE

Strobe will damage your eyesight
we are very concerned and this lamp has been treated with anti-flicker




Magnetic Track Lamp




Information


CRI: 90
Material: Aluminum
LED Type: SMD3030
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
C256-20 CX	6W	127*22*46MM
C256-20 CX	12W	220*22*45MM
C256-20 CX	18W	330*22*45MM




Magnetic Track Lamp




Information

CRI: 90
 Material: Aluminum + Plastic
 LED Type: SMD2835
 Protection Class: IP20
 CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
C082 CY	5W	300*28*80MM
C082 CY	13W	604*28*80MM



Magnetic Track Lamp



Information

CRI: 90

Material: Aluminum

LED Type: COB


Protection Class: IP20

CCT: 3000-6500K

COLOR



LED DC 48V IP20



Item No.	Power	Dimension
A015-20 CG	6W	120*30*180MM
A015-20 CG	12W	120*59*230MM
A015-20 CG	18W	135*75*250MM




Magnetic Track Lamp



Information

CRI: 90
 Material: Aluminum
 LED Type: COB
 Protection Class: IP20
 CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
A105-20 CX	7W	120*45*145MM
A105-20 CX	12W	120*44.5*182MM
A105-20 CX	15W	120*60*160MM





Magnetic Track Lamp



Information

CRI: 90
 Material: Aluminum
 LED Type: COB
 Protection Class: IP20
 CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
C220-20 CG	8W	126*55*102MM
C220-20 CG	8*2W	245*126*55MM




Magnetic Track Lamp



Information

- CRI: 90
- Material: Aluminum+Glass
- LED Type: COB
- Protection Class: IP20
- CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
C213-20 CX	10W	100*125*195MM
C213-20 CD	10W	100*100*1200MM




Magnetic Track Lamp




Information

CRI: 90
 Material: Aluminum
 LED Type: SMD3030
 Protection Class: IP20
 CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
C216-20 CD	12W	220*22*117MM




Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD3030
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
C217-20 CD	12W	220*22*44MM




Magnetic Track Lamp




Information

CRI: 90
Material: Aluminum
LED Type: SMD3030
Protection Class: IP20
CCT: 3000-6500K


COLOR



LED DC 48V IP20 


Item No.	Power	Dimension
C219-20 CX	6W	147*16*108MM
C219-20 CX	12W	220*156*22MM

Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum+ Plastic
LED Type: COB
Protection Class: IP20
CCT: 3000-6500K



COLOR



LED DC 48V IP20

Item No.	Power	Dimension
D075-20 CX	5W	136*60*145MM
D075-20 CD	5W	60*1200MM

90°



355°





Magnetic Track Lamp




Information

CRI: 90
 Material: Aluminum+Plastic
 LED Type: SMD2835
 Protection Class: IP20
 CCT: 3000-6500K

COLOR




LED DC 48V IP20 



Item No.	Power	Dimension
D080-20 CG	9W	182*136*40MM



Magnetic Track Lamp



Information


CRI: 90
 Material: Aluminum+Plastic
 LED Type: COB
 Protection Class: IP20
 CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D114-20 CG	8W	Φ33*136*177MM
D114-20 CG	12W	Φ53*136*220MM
D114-20 CG	18W	Φ73*136*253MM
D114-20 CD	8W	Φ33*1200MM
D114-20 CD	12W	Φ53*1200MM

Magnetic Track Lamp



Information

CRI: 92.4



Material: Aluminum+Plastic

LED Type: COB

Protection Class: IP20

CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D130-20 CX	8W	136*88*122MM

Magnetic Track Lamp



Information

CRI: 92.4


Material: Aluminum+Plastic

LED Type: COB

Protection Class: IP20

CCT: 3000-6500K

COLOR



90°



355°



LED DC 48V IP20

Item No.	Power	Dimension
F024-20 CX	8W	136*59*200MM

Magnetic Track Lamp



Information

CRI: 92.4




Material: Aluminum+Plastic

LED Type: COB

Protection Class: IP20

CCT: 3000-6500K

COLOR



MULTIPLE COLORS TO CHOOSE FROM



Item No.	Power	Dimension
F055-20 CX	7W	136*47*172MM
F055-20 CX	12W	136*57*182MM
F055-20 CX	18W	136*67*200MM

EXPLODED DIAGRAM OF ACCESSORIES

Can be adjusted arbitrarily during installation
Process according to your preferences.



ACCESSORY DIAGRAM:

A variety of accessories are selected according to your needs, and we will keep updating according to market demand.



B339-20 MINI
Single layer and single hole



B339-20 MINI
Single layer straight through



B339-20 MINI
Single layer corner



B340-20 MINI
Heightened straight through



B340-20 MINI
Heightened corner



B341-20 MINI
Double layer, corner + single hole



B341-20 MINI
Double layer, corner + corner



B341-20 MINI
Double layer straight through



B341-20 MINI
Double layer, single hole+straight through





B341-20 MINI
Double layer, single hole+corner



B341-20 MINI
Double layer, single hole+single hole

B339-20 MINI

SINGLE-LAYER STRAIGHT THROUGH



B339-20 MINI

INSTALLATION PART
SINGLE-LAYER TAIL COVER



B341-20 MINI

INSTALLATION PART
DOUBLE-LAYER STRAIGHT THROUGH + CORNER





B339-20 MINI

INSTALLATION PART
SINGLE-LAYER CORNER



①



②


③



④




⑤



⑥


EXPLODED DIAGRAM OF ACCESSORIES


Can be adjusted arbitrarily during installation
Process according to your preferences.



SHAPE PRESENTATION

DIY STYLING, ARBITRARY MATCHING,
CREATING VARIOUS SHAPES, AND PERSONALIZED
EXPERIENCE





SURFACE MOUNTED

SEALED PLATE

SEALED PLATE

Minimalistic magnetic adapters form one neat line when placed in the track
Fun with magnets and light. Simultaneously graphic and subtle
the Running Magnet is flexible, precise, and as creative as you
It is track lighting redesigned and elegantly refined

SURFACE ARC-SHAPED TRACK STRIP


UR Lighting is a trusted brand




The diameter of the arc we can do is

Φ600 Φ800 Φ1000

SURFACE Φ600 1/2




SURFACE Φ600 1/4




RECESSED ARC-SHAPED TRACK STRIP


UR Lighting is a trusted brand



RECESSED $\Phi 600$ 1/4




RECESSED $\Phi 600$ 1/2



The diameter of the arc we can do is

$\Phi 600$ $\Phi 800$ $\Phi 1000$

LATEST VERSION



- No flicker ✓
- Simple and stylish ✓
- High color rendering index ✓



Information


CRI: 90

Material: Aluminum+PC

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
A004-NIMI CX	10W	416*16*18MM
A004-NIMI CX	20W	714*16*18MM
A004-NIMI CX	30W	1013*16*18MM





Magnetic Track Lamp



Information


CRI: 90

Material: Aluminum+PC

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
A005-MINI CX	12W	345*16*18MM
A005-MINI CX	18W	460*16*18MM
A005-MINI CX	24W	573*16*18MM


Magnetic Track Lamp



Information

CRI: 92.2
Material: Aluminum
LED Type: COB
Protection Class: IP20
CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D137-MINI CX	7W	127*47*153MM
D137-MINI CX	12W	127*57*167MM
D137-MINI CX	2*7W	280*47*155MM
D137-MINI CX	16W	127*67*185MM



Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum+Plastic
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K

COLOR



LED DC 48V IP20

Item No.	Power	Dimension
D080-MINI CX	9W	182*136*40MM




Magnetic Track Lamp



Information

CRI: 91.7
Material: Aluminum+Iron
LED Type: COB
Protection Class: IP20
CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D089-MINI CX	8W	216*22*46MM



Magnetic Track Lamp



Information


CRI: 92.4

Material: Aluminum+PC

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
F001-MINI CX	10W	215*22*48MM

Magnetic Track Lamp



Information


CRI: 92.4

Material: Aluminum+PC


LED Type: SMD3030

Protection Class: IP20

CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
F002-MINI CX	10W	215*22*48MM




Magnetic Track Lamp



Information

- CRI: 92.3
- Material: Aluminum+Plastic
- LED Type: COB
- Protection Class: IP20
- CCT: 3000-6500K

COLOR



- LED
- DC 48V
- IP20
-

Item No.	Power	Dimension
D130-MINI CX	8W	Φ88*127**95MM




Magnetic Track Lamp



Information

CRI: 95.7
Material: Aluminum+Plastic
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K



COLOR



LED DC 48V IP20 

Item No.	Power	Dimension
F135-20 MINI	8W	φ150*150*35MM





Magnetic Track Lamp



Information

CRI: 96.1
Material: Plastic + Silicone
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
G017-20 MINI	5W	557*17*18MM
G017-20 MINI	10W	1004*17*18MM

Magnetic Track Lamp





THE LAMP CAN BE ADJUSTED IN AN ANGLE RANGE OF 15 TO 45 DEGREES



Information

- CRI: 92.2
- Material: Aluminum+Plastic
- LED Type: COB
- Protection Class: IP20
- CCT: 3000-6500K

COLOR



- LED
- DC 48V
- IP20
-

Item No.	Power	Dimension
F115-MINI CX	7W	127*47*158MM
F115-MINI CX	12W	127*57*170MM




Magnetic Track Lamp



Information

CRI: 92.2
 Material: Aluminum+Plastic
 LED Type: COB
 Protection Class: IP20
 CCT: 3000-6500K


COLOR



Item No.	Power	Dimension
G001-MINI CX	7W	120*47*125MM
G001-MINI CX	12W	136*57*182MM

POWER-ON DISPLAY


THE SIMPLE POWER-ON METHOD SAVES
INSTALLATION TIME, SAVES COSTS FOR YOU AND
CREATES A MINIMALIST SENSE OF SPACE.




RECESSED ARC-SHAPED TRACK STRIP

UR Lighting is a trusted brand

RECESSED $\Phi 600$ 1/4



RECESSED $\Phi 600$ 1/2




The diameter of the arc we can do is

$\Phi 600$ $\Phi 800$ $\Phi 1000$


SURFACE ARC-SHAPED TRACK STRIP

UR Lighting is a trusted brand

SURFACE $\Phi 600$ 1/4



SURFACE $\Phi 600$ 1/2





The diameter of the arc we can do is

$\Phi 600$ $\Phi 800$ $\Phi 1000$

24V ULTRA THIN LINEAR TRACK

THE LENGTH OF THE TRACK CAN BE CUSTOMIZED, AND IT CAN BE CUT ARBITRARILY ACCORDING TO YOUR NEEDS. THE LAMPS AND LANTERNS ARE SAFE AND DURABLE.



MINI10
MAGNETIC TRACK LIGHT





Magnetic Track Lamp



Information

CRI: 94.8

Material: Aluminum+Plastic

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
F116-10 CG	5W	400x13x12.5MM
F116-10 CG	10W	700x13x12.5MM




Magnetic Track Lamp




Information

CRI: 92.7
Material: Aluminum+Plastic
LED Type: COB Light Strip
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
F117 -10 CG	5W	400x13x12.5MM
F117 -10 CG	10W	700x13x12.5MM

Magnetic Track Lamp




Information

CRI: 91.7
Material: Aluminum+Plastic
LED Type: COB
Protection Class: IP20
CCT: 3000-6500K

COLOR



LED DC 24V IP20 



Item No.	Power	Dimension
F118-10 CG	5W	100x90x30MM





Magnetic Track Lamp



This lamp is only suitable for use on surface-mounted tracks



Information

- CRI: 92.1
- Material: Aluminum+Plastic
- LED Type: COB
- Protection Class: IP20
- CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
F119-10 CG	5W	100x60x42MM

Magnetic Track Lamp



Information

CRI: 91.7


Material: Aluminum+Glass

LED Type: COB


Protection Class: IP20

CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
G021 -10 CG	5W	φ80*92MM
G021 -10 CD	5W	φ80*1200MM



CURVY MAGNETIC SYSTEM

Use standard and curvy magnetic systems together and create your own favorite shapes.

Magnetic Track Lamp



Information

CRI: 82.5



Material: Plastic + Silicone

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
F120-10 CG	5W	540*11.5*11.5MM
F120-10 CG	10W	1040*11.5*11.5MM

Magnetic Track Lamp




Information

CRI: 92
Material: Aluminum+Plastic
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K

COLOR



LED DC 24V IP20 



Item No.	Power	Dimension
F121-10 CG	5W	φ135X30MM



Magnetic Track Lamp



Information

CRI: 93.3



Material: Aluminum+Acrylic

LED Type: COB


Protection Class: IP20

CCT: 3000-6500K


COLOR




Item No.	Power	Dimension
F136-10 CG	3W	φ30*80*90MM




MINI - STYLE WITH SIMPLE DESIGN.
SMALL LAMPS, GREAT ENERGY.
CREATE A PERSONALIZED SPACE FOR YOU.





INFORMATION




Surface Mounted



OPTION

- White
 Black

Install



OPTION


- White
 Black

GENERAL ACCESSORIES


CONNECTION



Input module
 B073
 Copper



Straight connector
 B076
 Copper



Corner connector
 B077
 Copper

End Cap



End Cap
 plastic

Connection Corner



Input module
 B075
 Copper



Straight connector
 B074
 Copper



Corner connector
 B074
 Copper



Input module
 B075
 Copper




Straight connector
 B075
 Copper



Corner connector
 B075
 Copper

UR Lighting is a commercial lighting manufacturer specialized in a diverse range of interior light. The product range covers LED recessed downlight, LED track light, LED ceiling light, LED pendant light, LED Table light, LED wall light, LED magnetic light system.

ULTRA-THIN MAGNETIC TRACK SYSTEM






Magnetic Track Strip



B062-20




Advantage


1. The Strongest Magnetic Field, Eliminate Shedding
2. Convenient Installation
3. Simple And Beautiful Shape



Thin Magnetic Track Light





B072-20



Advantage




1. The Strongest Magnetic Field, Eliminate Shedding
2. Convenient Installation
3. Simple And Beautiful Shape
4. Thinner, Thinner And More Convenient
5. Keep up with the trend design more fashionable





VARIOUS INSTALLATION METHODS

A variety of installation methods, easy installation, can be installed independently, to cope with the limitations of various installation environments suitable for many occasions.






Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
D066-M1 CG	6W	115*26*28MM
D066-M1 CG	12W	222*26*28MM
D066-M1 CG	16W	329*26*28MM




Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD3030
Protection Class: IP20
CCT: 3000-6500K



COLOR



Item No.	Power	Dimension
D067-M1 CG	6W	115*26*28MM
D067-M1 CG	12W	222*26*28MM
D067-M1 CG	16W	329*26*28MM



Magnetic Track Lamp



Information

CRI: 90


Material: Aluminum

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K


COLOR



Item No.	Power	Dimension
D068-M1 CG	6W	115*26*28MM
D068-M1 CG	12W	222*26*28MM

5.5MM SLIM THICKNESS

Extremely thin magnetic track light with a thickness of only 5.5mm. Ultra-thin line-level design, creating a minimalist space aesthetic



Magnetic Track Lamp



Information

CRI: 90


Material: Aluminum+PC

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K

COLOR



LED DC 48V IP20

Item No.	Power	Dimension
D066+B078-M1 CG	6W	231*51*81MM
D066+B079-M1 CG	12W	337*51*82MM



Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: SMD3030
Protection Class: IP20
CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D067+B078-M1 CG	6W	231*51*81MM
D067+B079-M1 CG	12W	337*51*82MM





Magnetic Track Lamp



Information

- CRI: 90
- Material: Aluminum
- LED Type: SMD2835
- Protection Class: IP20
- CCT: 3000-6500K


COLOR



Item No.	Power	Dimension
D068+B078-M1 CG	6W	231*51*81MM
D068+B079-M1 CG	12W	337*51*82MM




Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum +Plastic
LED Type: COB
Protection Class: IP20
CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D074-M1 CG	5W	115*31*100MM
D074-M1 CG	5*2W	31*115*97MM
D074-M1 CG	7W	30*115*145MM
D074-M1 CG	12W	44*115*133MM
D074-M1 CG	16W	44*115*173MM



Magnetic Track Lamp




Information

CRI: 90
Material: Aluminum +Plastic
LED Type: COB
Protection Class: IP20
CCT: 3000-6500K

COLOR



LED **DC 40V** **IP20** 



Item No.	Power	Dimension
D075 -M1 CG	5W	Φ115*60*120MM



Magnetic Track Lamp



Information

CRI: 90



Material: Aluminum+PC

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D112-M1 CG	8W	φ85*60MM





Magnetic Track Lamp



Information

CRI: 92.9
Material: Aluminum+Plastic
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D080-M1 CX	9W	φ170*130*45MM



Magnetic Track Lamp



Information

CRI: 90


Material: Aluminum+Glass

LED Type: COB

Protection Class: IP20

CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
C213-M1 CG	6W	φ100*120MM
C213-M1 CD	6W	φ100*1200MM



Magnetic Track Lamp





Information

CRI: 92.2
Material: Aluminum
LED Type: COB
Protection Class: IP20
CCT: 3000-6500K

COLOR



LED DC 48V IP20 



Item No.	Power	Dimension
D137-M1 CG	7W	φ47*115*168MM

Magnetic Track Lamp



Information

CRI: 92.2



Material: Aluminum+Plastic

LED Type: COB

Protection Class: IP20

CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D130-M1 CG	8W	φ88*115*102MM



Magnetic Track Lamp




Information

CRI: 95.2
Material: Aluminum+Plastic
LED Type: SMD2835
Protection Class: IP20
CCT: 3000-6500K

COLOR



LED DC 48V IP20



Item No.	Power	Dimension
F103-M1 CG	10W	Φ129*129*1070MM




Magnetic Track Lamp



Information

CRI: 90
Material: Aluminum
LED Type: COB
Protection Class: IP20
CCT: 3000-6500K

COLOR



Item No.	Power	Dimension
D122-M1 CG	8W	Φ30*400*1200MM