



## CONTACT US

Add: NO5/3.Kanglong 3rd Road, Xinmao Industrial Area,  
Henglan Town Zhongshan City Guangdong Province.China

Website: <https://www.ur-lights.com>

Tel: +86 13925354948 +86 760 88752722 ex 603

Fax: +86 760 88752733

E-mail: [urlighting@urlighting86.com](mailto:urlighting@urlighting86.com) [afterservice@urlighting86.com](mailto:afterservice@urlighting86.com)

Facebook: UR Lighting



spot +



spot T



spot L




end



inter tube 300



inter tube 450



inter tube 600



inter tube 750



inter tube 900



light tube 600



light tube 750



light tube 900



# Accessories Display



2418



2418



2419




2419



2420




2420



2421



2421





2402

---

THE BRONZE COLOR IS SIMPLE AND ADVANCED,  
SUITABLE FOR A VARIETY OF OCCASIONS. TRANSPARENT  
SPHERICAL SHAPE, MORE ARTISTIC  
POWER: 35W/48W  
SIZE: D:600MM/D:800MM




2411

FLEXIBLE DESIGN, FREE MOVEMENT, CONVENIENT  
FOR CUSTOMERS TO ACHIEVE THE DESIRED EFFECT

POWER: 5W

SIZE: 30\*30\*75MM





2410

FLEXIBLE DESIGN, FREE MOVEMENT, CONVENIENT  
FOR CUSTOMERS TO ACHIEVE THE DESIRED EFFECT

POWER: 5W

SIZE: 60\*60\*75MM



2412

---

FLEXIBLE DESIGN, FREE MOVEMENT, CONVENIENT  
FOR CUSTOMERS TO ACHIEVE THE DESIRED EFFECT  
POWER: 9W  
SIZE: 65\*65\*95MM



2413

THIS CHANDELIER IS MADE OF ALUMINUM, WHICH IS BOTH LIGHT AND FASHIONABLE WITH HOLLOW OUT, MORE ARTISTIC SENSE

Power: 25W


Size: 35\*1200\*1500MM



THIS CHANDELIER IS MADE OF ALUMINUM, WHICH IS BOTH LIGHT AND FASHIONABLE WITH HOLLOW OUT, MORE ARTISTIC SENSE

Power: 25W

Size: 35\*1200\*1500MM






## 2414

THE BRONZE COLOR IS SIMPLE AND ADVANCED,  
SUITABLE FOR A VARIETY OF OCCASIONS. TRANSPARENT  
SPHERICAL SHAPE, MORE ARTISTIC  
POWER: 30W  
SIZE: 150\*1200\*1500MM








2415


DESIGNED TO BE WAVY, THE UNDULATING OUTLINE  
OF THE LAMPSHADE INCREASES THE VARIABILITY AND LAYERING OF LIGHT,  
AND ALSO BRINGS MORE BEAUTIFUL APPEARANCE.

POWER: 38W  
SIZE: L: 2500MM



2415

DESIGNED TO BE WAVY, THE UNDULATING OUTLINE  
OF THE LAMP SHADE INCREASES THE VARIABILITY AND LAYERING OF LIGHT,  
AND ALSO BRINGS MORE BEAUTIFUL APPEARANCE.  
POWER: 38W  
SIZE: L: 2500MM



2416

THE LIGHT SOURCE IS BETTER, IT CAN PROTECT  
OUR EYES, ENERGY SAVING, SMALL SIZE AND LIGHT WEIGHT  
POWER: 6W  
SIZE: 150\*400\*500MM





## ACCESSORY DIAGRAM:

A variety of accessories are selected according to your needs, and we will keep updating according to market demand.



B220-90°20DIY



B220-65°20DIY



B222-180° 20DIY



B226 20DIY



B314 20DIY



B295 20DIY



B223-T 20DIY



B224 20DIY



B225-120° 20DIY



B388 20DIY



B300-20DIY



B234 20DIY



B297 20DIY



B227-120° 20DIY



B298-20DIY



B336 20DIY



B315 20DIY



B317 20DIY



B233-20DIY



B318 20DIY



B195 48V 100W/200W/300W/400W

# ACCESSORY DIAGRAM:

A variety of accessories are selected according to your needs, and we will keep updating according to market demand.



B222-180° 20IY W



B297 20DIY W



B225-120° 20 DIY W



B224 20DIY W



B220-90°20IY W



B220-90°20IY W



B226 20DIY W



B314 20DIY W



B223-T 20DIY W



B227-120° 20DIY W



B321 20DIY W



B316 20DIY W

## ACCESSORY DIAGRAM:

A variety of accessories are selected according to your needs, and we will keep updating according to market demand.



B223 20DIY W



B317 20IY W



B316 20IY W



B301-20DIY A



B301-20DIY B



B230-20DIY



B229-20DIY

## B222-180° 20DIY

LINK ACCESSORIES  
CONNECTION OPTIONS

180° horizontal straight-through module



+



B222-180° 20DIY



B233-20DIY



# B222-180° 20IY W

LINK ACCESSORIES  
CONNECTION OPTIONS

180° horizontal straight-through module



B222-180° 20IY W  
(Be electrically conductive)

B388 20DIY



B222-180° 20IY  
(Not be electrically conductive)



CEILING MOUNT + IRON ROD    CEILING MOUNT + STEEL WIRE    CEILING MOUNT + ELECTRIC WIRE



## B221 65° 20IY

HORIZONTAL ANGLE SUPPLY

65° horizontal corner module.



B221 65° 20IY

+



B233-20DIY



# B221 65° 20IY W

HORIZONTAL ANGLE SUPPLY

65° horizontal corner module.



B221 65° 20IY W  
(Be electrically conductive)

B388 20DIY



B221 65° 20IY  
(Not be electrically conductive)

48V FLOW DIRECTION



NON ELECTRIC CONNECTIONS



CEILING MOUNT + IRON ROD    CEILING MOUNT + STEEL WIRE    CEILING MOUNT + ELECTRIC WIRE



# B220-90°20IY

## VERTICAL ANGLE

90-degree horizontal rotation,multiple functions, suitable for various occasions.



B220-90°20IY

+



B317 20DIY W



B317 20DIY



B220-90°20IY

+



B233-20DIY



# B220-90°20IY W

## VERTICAL ANGLE

90-degree horizontal rotation, multiple functions, suitable for various occasions.



+



B220-90°20IY W

(Be electrically conductive)

B388 20DIY



THREE KINDS OF SLINGS TO CHOOSE FROM



B220-90°20IY

(Not be electrically conductive)

CEILING MOUNT + IRON ROD    CEILING MOUNT + STEEL WIRE    CEILING MOUNT + ELECTRIC WIRE



48V FLOW DIRECTION



NON ELECTRIC CONNECTIONS



+



B220-90°20IY W

(Be electrically conductive)

B388 20DIY



# B227-120° 20DIY

HORIZONTAL ANGLE SUPPLY  
120° horizontal corner module.



B227-120° 20DIY

+




B233-20DIY



# B227-120° 20DIY W


HORIZONTAL ANGLE SUPPLY

120° horizontal corner module.



B227-120° 20DIY W  
(Be electrically conductive)

B388 20DIY




THREE KINDS OF SLINGS TO CHOOSE FROM



B227-120° 20DIY  
(Not be electrically conductive)



CEILING MOUNT + IRON ROD    CEILING MOUNT + STEEL WIRE    CEILING MOUNT + ELECTRIC WIRE



# B223-T 20DIY

HORIZONTAL ANGLE SUPPLY

horizontal three-way corner



B223-T 20DIY

+



B233-20DIY



B223-T 20DIY

+



B317 20DIY



B317 20DIY W



# B223-T 20DIY W

HORIZONTAL ANGLE SUPPLY

horizontal three-way corner



+



B223-T 20DIY W  
(Be electrically conductive)

B388 20DIY



THREE KINDS OF  
SLINGS TO CHOOSE FROM




CEILING MOUNT + IRON ROD

CEILING MOUNT + STEEL WIRE

CEILING MOUNT + ELECTRIC WIRE

B223-T 20DIY  
(Not be electrically conductive)




+



B223-T 20DIY W  
(Be electrically conductive)

B388 20DIY



# B225-120° 20 DIY

HORIZONTAL ANGLE SUPPLY

Three-pronged corner module.



B225-120° 20 DIY

+



B233-20DIY



# B225-120° 20 DIY W


HORIZONTAL ANGLE SUPPLY

Three-pronged corner module .



B225-120° 20 DIY W  
(Be electrically conductive)

B388 20DIY




B225-120° 20 DIY  
(Not be electrically conductive)

THREE KINDS OF SLINGS TO CHOOSE FROM



CEILING MOUNT + IRON ROD    CEILING MOUNT + STEEL WIRE    CEILING MOUNT + ELECTRIC WIRE



# B226 20DIY

HORIZONTAL ANGLESUPPLY

Horizontal four-way corner module .



B226 20DIY




B226 20DIY

+



B233-20DIY



B226 20DIY

+



B317 20DIY




B317 20DIY W



# B226 20DIY W

## HORIZONTAL ANGLE SUPPLY

Horizontal four-way corner module.




**B226 20DIY W**  
(Be electrically conductive)

**B388 20DIY**



**B226 20DIY**  
(Not be electrically conductive)





# B295 20DIY

VERTICAL ANGLE

Vertical five-way corner module.



+



B295 20DIY

B317 20DIY




+



B295 20DIY

B388 20DIY






B295 20DIY

+



B317 20DIY W



# B224 20DIY

## VERTICAL ANGLE

Vertical three-way corner module.



B224 20DIY

+



B233-20DIY



B224 20DIY

+



B317 20DIY




B317 20DIY W



# B224 20DIY W

## LINK ACCESSORIES CONNECTION OPTIONS

Vertical three-way corner module.



+



B224 20DIY W  
(Be electrically conductive)

B388 20DIY



THREE KINDS OF  
SLINGS TO CHOOSE FROM



CEILING MOUNT + IRON ROD    CEILING MOUNT + STEEL WIRE    CEILING MOUNT + ELECTRIC WIRE

B224 20DIY  
(Not be electrically conductive)



+



B224 20DIY W  
(Be electrically conductive)

B388 20DIY



# B314 20DIY

LINK ACCESSORIES  
CONNECTION OPTIONS

Vertical four-way corner module.



B314 20DIY



B233-20DIY



B314 20DIY



B317 20DIY



B317 20DIY W



# B314 20DIY W


## VERTICAL ANGLE

Vertical four-way corner module.



**B314 20DIY W**  
(Be electrically conductive)

**B388 20DIY**




THREE KINDS OF SLINGS TO CHOOSE FROM



CEILING MOUNT + IRON ROD    CEILING MOUNT + STEEL WIRE    CEILING MOUNT + ELECTRIC WIRE

**B314 20DIY**  
(Not be electrically conductive)



## B316 20DIY

LINK ACCESSORIES  
CONNECTION OPTIONS

L-shaped corner module .





## B318 20DIY

END CAP FITTING



## B321 20DIY

END CAP FITTING



## B316 20DIY W

LINK ACCESSORIES  
CONNECTION OPTIONS

90-degree horizontal rotation,multiple functions,  
suitable for various occasions.



B316 20DIY W

+



B388 20DIY



## B321 20DIY W

LINK ACCESSORIES  
CONNECTION OPTIONS

90-degree horizontal rotation,multiple functions,  
suitable for various occasions.



B321 20DIY W

+



B388 20DIY






**B316 20DIY W**  
(Be electrically conductive)



**B321 20DIY W**  
(Be electrically conductive)



# B315 20DIY

## LINK ACCESSORIES CONNECTION OPTIONS



Screen adjustment fitting .



**B315-T 20DIY**  
(Not be electrically conductive)




**B315-T 20DIY W**  
(Be electrically conductive)



# B298 20DIY

LINK ACCESSORIES  
CONNECTION OPTIONS

Fixed product module




# B336 20DIY



## B234 20DIY

### POWER BOX

The power box acts to hide the power supply to make its appearance look more beautiful



B234 20DIY


B195 200W



## B300 20DIY

### POWER BOX

The power box acts to hide the power supply to make its appearance look more beautiful




B300 20DIY

B195 200W





# HANGER DISPLAY





# OBLIQUE SINGLE SCREEN




MODEL: B315 20DIY



MODEL: B315 20DIY W





MODEL: B222-180° 20DIY





# HEXAGONAL SHAPE






## WINE RACK / SHELF

①



MODEL:B224 20DIY

②



MODEL:B314 20DIY

③



MODEL:B295 20DIY

④




MODEL:B317 20DIY



⑤





MODEL:B317 20DIY W



# SQUARE CHANDELIER





# SINGLE SCREEN





## PRODUCT LIST

The products are presented one by one.  
Multiple sizes are available for your choice.

|   | Item No.    | Power | Dimension |
|---|-------------|-------|-----------|
|    | F127-DIY CX | 3W    | 168*30MM  |
|   | F127-DIY CX | 6W    | 276*30MM  |
|   | F127-DIY CX | 9W    | 384*30MM  |
|   | F127-DIY CX | 12W   | 492*30MM  |
|   | F127-DIY CX | 18W   | 708*30MM  |
|   | F127-DIY CX | 24W   | 924*30MM  |
|   | F127-DIY CX | 39W   | 1464*30MM |
|   | F127-DIY CX | 42W   | 1572*30MM |
|   | F127-DIY CX | 57W   | 2004*30MM |
|   | F127-DIY CX | 78W   | 2840*30MM |
|  | F128-DIY CX | 3W    | 168*30MM  |
|   | F128-DIY CX | 6W    | 276*30MM  |
|   | F128-DIY CX | 9W    | 384*30MM  |
|   | F128-DIY CX | 12W   | 492*30MM  |
|   | F128-DIY CX | 18W   | 708*30MM  |
|   | F128-DIY CX | 24W   | 924*30MM  |
|   | F128-DIY CX | 39W   | 1464*30MM |
|   | F128-DIY CX | 42W   | 1572*30MM |
|   | F128-DIY CX | 57W   | 2004*30MM |
|   | F128-DIY CX | 78W   | 2840*30MM |

# PRODUCT LIST

The products are presented one by one.  
Multiple sizes are available for your choice.

| Item No. | Power | Dimension |
|----------|-------|-----------|
|----------|-------|-----------|



|             |     |           |
|-------------|-----|-----------|
| F129-DIY CX | 2W  | 168*30MM  |
| F129-DIY CX | 4W  | 276*30MM  |
| F129-DIY CX | 6W  | 384*30MM  |
| F129-DIY CX | 8W  | 492*30MM  |
| F129-DIY CX | 12W | 708*30MM  |
| F129-DIY CX | 16W | 924*30MM  |
| F129-DIY CX | 26W | 1464*30MM |
| F129-DIY CX | 28W | 1572*30MM |
| F129-DIY CX | 36W | 2004*30MM |



|             |   |           |
|-------------|---|-----------|
| F219-DIY CG | - | 168*30MM  |
| F219-DIY CG | - | 275*30MM  |
| F219-DIY CG | - | 384*30MM  |
| F219-DIY CG | - | 492*30MM  |
| F219-DIY CG | - | 708*30MM  |
| F219-DIY CG | - | 924*30MM  |
| F219-DIY CG | - | 1464*30MM |
| F219-DIY CG | - | 1572*30MM |
| F219-DIY CG | - | 2004*30MM |
| F219-DIY CG | - | 2840*30MM |




# Magnetic Track Lamp



## Information

**CRI:** 90  
**Material:** Aluminum  
**LED Type:** SMD3030  
**Protection Class:** IP20  
**CCT:** 3000-6500K



## COLOR




**LED** **DC 48V** **IP20**

| Item No.    | Power | Dimension |
|-------------|-------|-----------|
| F127-DIY CX | 3W    | 168*30MM  |
| F127-DIY CX | 6W    | 275*30MM  |
| F127-DIY CX | 9W    | 384*30MM  |
| F127-DIY CX | 12W   | 492*30MM  |
| F127-DIY CX | 18W   | 708*30MM  |
| F127-DIY CX | 24W   | 924*30MM  |
| F127-DIY CX | 39W   | 1464*30MM |
| F127-DIY CX | 42W   | 1572*30MM |
| F127-DIY CX | 57W   | 2004*30MM |
| F127-DIY CX | 78W   | 2840*30MM |




# Magnetic Track Lamp



## Information

**CRI:** 90  
**Material:** Aluminum  
**LED Type:** SMD2835  
**Protection Class:** IP20  
**CCT:** 3000-6500K



## COLOR



| Item No.    | Power | Dimension |
|-------------|-------|-----------|
| F128-DIY CX | 3W    | 168*30MM  |
| F128-DIY CX | 6W    | 275*30MM  |
| F128-DIY CX | 9W    | 384*30MM  |
| F128-DIY CX | 12W   | 492*30MM  |
| F128-DIY CX | 18W   | 708*30MM  |
| F128-DIY CX | 24W   | 924*30MM  |
| F128-DIY CX | 39W   | 1464*30MM |
| F128-DIY CX | 42W   | 1572*30MM |
| F128-DIY CX | 57W   | 2004*30MM |
| F128-DIY CX | 78W   | 2840*30MM |



# Magnetic Track Lamp



## Information


CRI: 90

Material: Acrylic


LED Type: SMD2835

Protection Class: IP20


CCT: 3000-6500K



## COLOR



| Item No.    | Power | Dimension |
|-------------|-------|-----------|
| F129-DIY CX | 2W    | 168*30MM  |
| F129-DIY CX | 4W    | 276*30MM  |
| F129-DIY CX | 6W    | 384*30MM  |
| F129-DIY CX | 8W    | 492*30MM  |
| F129-DIY CX | 12W   | 708*30MM  |
| F129-DIY CX | 16W   | 924*30MM  |
| F129-DIY CX | 26W   | 1464*30MM |
| F129-DIY CX | 28W   | 1572*30MM |
| F129-DIY CX | 36W   | 2004*30MM |



# Magnetic Track Lamp




## Information

Material: Aluminum


Protection Class: IP20

### COLOR



**LED** **IP20**

| Item No.    | Power | Dimension |
|-------------|-------|-----------|
| F219-DIY CG | -     | 168*30MM  |
| F219-DIY CG | -     | 275*30MM  |
| F219-DIY CG | -     | 384*30MM  |
| F219-DIY CG | -     | 492*30MM  |
| F219-DIY CG | -     | 708*30MM  |
| F219-DIY CG | -     | 924*30MM  |
| F219-DIY CG | -     | 1464*30MM |
| F219-DIY CG | -     | 1572*30MM |
| F219-DIY CG | -     | 2004*30MM |
| F219-DIY CG | -     | 2840*30MM |






Customized according to your preferences, simple design, to create a different sense of space, suitable for a variety of occasions.

The design can outline the beauty of the spatial structure, save space and location, and create personalization.






DIY design outlines the beauty of the space structure, saves space and location, and creates personalization.







ULTRA-THIN  
MAGNETIC TRACK LIGHT

# Accessories Display



Outlet



Fixture 2



Hanging wire buckle




Input module




Fixture 1



Tail line buckle








17MM

THIN BELT



25MM

WIDE BELT

# Belt

The belt has multiple color options, flexibility, and can be freely swung to create a sense of space design.

Belt: Polyester



Black



Grey




Dark Gray




Grayish Black



Orange



Red-Brown




Blue



Green

# POWER-ON DISPLAY

THE SIMPLE POWER-ON METHOD SAVES  
INSTALLATION TIME AND COSTS FOR YOU. THERE ARE MULTIPLE  
INSTALLATION METHODS SUCH AS SURFACE-MOUNTED  
AND CONCEALED-MOUNTED FOR YOU TO CHOOSE.








**EASY CONNECTION**  
**FIX / CLICK / CONNECT**

EACH BELT, WHICH CAN BE CUT AS NEEDED, ACCOMMODATES MULTIPLE LUMINAIRES AND OPERATES WITH SIMPLE PLUG-IN TECHNOLOGY FOR UNPARALLELED EASE OF INSTALLATION AND CONNECTION. THE BELT OFFERS ADJUSTMENTS IN TENSION FROM TAUT TO RELAXED AS WELL AS CLICK-AND-CONNECT FUNCTIONALITY, SNAPPING INTO A BUCKLE ATTACHED TO EACH LUMINAIRE.







# Magnetic Track Lamp



## Information


CRI: 95

Material: Aluminum+PC


LED Type: SMD3030

Protection Class: IP20

CCT: 3000-6500K




## COLOR



| Item No.   | Power | Dimension   |
|------------|-------|-------------|
| F061-M4 CG | 9W    | 463*17*30MM |
| F061-M4 CG | 14W   | 691*17*30MM |
| F061-M4 CG | 23W   | 919*17*30MM |



# Magnetic Track Lamp



## Information

CRI: 92.9



Material: Aluminum+PC

LED Type: SMD3030

Protection Class: IP20

CCT: 3000-6500K

## COLOR



| Item No.    | Power | Dimension   |
|-------------|-------|-------------|
| F062 -M4 CG | 9W    | 463*17*30MM |
| F062 -M4 CG | 14W   | 691*17*30MM |
| F062 -M4 CG | 23W   | 919*17*30MM |



# Magnetic Track Lamp



## Information

CRI: 92.6


Material: Plastic

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K

### COLOR



| Item No.   | Power | Dimension  |
|------------|-------|------------|
| F108-M4 CG | 8W    | φ150*150MM |



# Magnetic Track Lamp



## Information

CRI: 93.9


Material: Aluminum+Plastic

LED Type: COB

Protection Class: IP20

CCT: 3000-6500K

## COLOR



| Item No.   | Power | Dimension |
|------------|-------|-----------|
| F110-M4 CG | 7W    | φ85*112MM |



# Magnetic Track Lamp



## Information

CRI: 94.3


Material: Iron+Plastic

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K

## COLOR



| Item No.   | Power | Dimension  |
|------------|-------|------------|
| F111-M4 CG | 12W   | φ302*163MM |



# Magnetic Track Lamp



## Information

---

CRI: 94.5

Material: Iron+Plastic



LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K

## COLOR

---



---

| Item No.   | Power | Dimension |
|------------|-------|-----------|
| F112-M4 CG | 12W   | φ352*92MM |

---



# Magnetic Track Lamp



## Information

CRI: 92.6



Material: Aluminum+Plastic

LED Type: SMD2835

Protection Class: IP20

CCT: 3000-6500K

## COLOR



| Item No.   | Power | Dimension |
|------------|-------|-----------|
| D096-M4 CG | 10W   | φ94*67MM  |



# Magnetic Track Lamp



## Information

---

CRI: 92.1

Material: Aluminum+Plastic



LED Type: COB

Protection Class: IP20

CCT: 3000-6500K

## COLOR

---



---

| Item No.   | Power | Dimension |
|------------|-------|-----------|
| D111-M4 CG | 7W    | φ85*78MM  |

---



# Magnetic Track Lamp




## Information

---


CRI: 93.1  
Material: Aluminum+Plastic  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6500K

## COLOR

---



LED DC 48V IP20 



---

| Item No.   | Power | Dimension |
|------------|-------|-----------|
| D112-M4 CG | 8W    | φ85*78MM  |

---



# Magnetic Track Lamp




## Information

---

CRI: 92.7  
Material: Aluminum+Plastic  
LED Type: SMD2835  
Protection Class: IP20  
CCT: 3000-6500K

## COLOR

---



---

| Item No.   | Power | Dimension   |
|------------|-------|-------------|
| G084-M4 CG | 6W    | 50*26*405MM |
| G084-M4 CG | 9W    | 50*26*575MM |
| G084-M4 CG | 12W   | 50*26*745MM |

---





#### THE INNOVATIVE DESIGN


OF THE VIEWING ANGLE MAGNETIC TRACK LIGHTS CLIMBING ON THE WALL, FREELY ADJUST THE FABRIC BELT TO FORM A LINEAR ACCENTUATION OF THE ARCHITECTURAL SPACE STRUCTURE LIGHTING, AND THE ARRAY SELECTS A ROW OF SLING LIGHTS TO ILLUMINATE THE ENTIRE SIDE WALL CORRIDOR FOR A LONG TIME.






ACCORDING TO THE SPATIAL STRUCTURE,  
THE LIGHT ROPE IS USED TO SHOW THE  
FLEXIBILITY AND VERSATILITY OF THE LIGHT,  
AND IT CAN BE ADDED OR SUBTRACTED  
TO ACCOMMODATE ANY TYPE OF BUILDING,  
NO MATTER HOW UNIQUE.





THE MAGNETIC TRACK BELT IS DIVERSE  
AND VARIED ACCORDING TO THE NEEDS OF THE PLACE,  
CARRY OUT LIGHT ON THE CEILING  
SHAPE AND ANGLE.











The sling rope design outlines the beauty of the space structure, saves space and location, and creates personalization.





