


Three decades of dedication to power tools manufacturing.

AOBEN[®]



AOBEN®



ZHEJIANG AOTE TOOLS CO., LTD.

Have the world - class manufacturing processing equipment and through the system trained skilled staff.

Advanced automation equipment, scientific management of the production process, complete quality testing system, will provide consistent quality products.

MOD. AT204

Cordless Drill

- 15+1 torque setting
- Two-speed



Technical Data	
Chuck Size	10mm
Rated Voltage	12V
Battery Type	1500mAh
No-Load Speed	0-500/0-1500r/min
Torque	35N.m
Net Weight	0.7kg

MOD. AT202

Cordless Drill

- Brushless Motor



Technical Data	
Chuck Size	10mm
Rated Voltage	16V
Battery Type	1500mAh
No-Load Speed	0-450/0-1900r/min
Torque	55N.m
Net Weight	0.8kg

MOD. AT202-13

Cordless Drill

- Brushless Motor



Technical Data	
Chuck Size	13mm
Rated Voltage	16V
Battery Type	1500mAh
No-Load Speed	0-450/0-1900r/min
Torque	55N.m
Net Weight	0.8kg

MOD. AT303

Cordless Screwdriver

- Ergonomic body design



Technical Data	
Rated Voltage	12V
Battery Type	1500mAh
No-Load Speed	0-500/0-1500r/min
Torque	35N.m
Net Weight	0.7kg

MOD. AT205

Cordless Drill

- 15+1 torque setting
- Two-speed



Technical Data	
Chuck Size	10mm
Rated Voltage	16V
Battery Type	1500mAh
No-Load Speed	0-500/0-1500r/min
Torque	35N.m
Net Weight	1.0kg

MOD. AT203

Cordless Drill

- Brushless Motor



Technical Data	
Chuck Size	10mm
Rated Voltage	20V
Battery Type	1500mAh
No-Load Speed	0-500/0-1900r/min
Torque	60N.m
Net Weight	1.3kg

MOD. AT203-13

Cordless Drill

- Brushless Motor



Technical Data	
Chuck Size	13mm
Rated Voltage	20V
Battery Type	1500mAh
No-Load Speed	0-500/0-1900r/min
Torque	60N.m
Net Weight	1.3kg

MOD. AT301

Cordless Screwdriver

- Brushless Motor
- Ergonomic body design



Technical Data	
Rated Voltage	16V
Battery Type	1500mAh
No-Load Speed	0-450/0-1900r/min
Torque	55N.m
Net Weight	0.8kg

MOD. AT206

Cordless Drill

- 15+1 torque setting
- Two-speed



Technical Data	
Chuck Size	10mm
Rated Voltage	20V
Battery Type	1500mAh
No-Load Speed	0-500/0-1500r/min
Torque	35N.m
Net Weight	1.0kg

MOD. AT201

Cordless Drill

- Brushless Motor
- Unscrewing screw
- Flat drilling



Technical Data	
Chuck Size	10mm
Rated Voltage	20V
Battery Type	1500mAh
No-Load Speed	0-450/0-1800r/min
Torque	50N.m
Net Weight	1.2kg

MOD. AT207C

Cordless Drill

- Brushless Motor
- Unscrewing screw
- Flat drilling



Technical Data	
Chuck Size	13mm
Rated Voltage	21V
Battery Type	4000mAh
No-Load Speed	0-550/0-2150r/min
Torque	120N.m
Net Weight	1.65kg

MOD. AT302

Cordless Screwdriver

- Brushless Motor
- Ergonomic body design



Technical Data	
Rated Voltage	20V
Battery Type	1500mAh
No-Load Speed	0-450/0-1900r/min
Torque	60N.m
Net Weight	1.3kg

MOD. AT101

Cordless Angle Grinder

- Brushless technology,
- High efficiency and durability
- Slender handle



Technical Data	
Disc Diameter	100/115/125mm
Rated Voltage	20V
Battery Type	4000mAh
No-Load Speed	7500r/min
Motor Type	Brushless
Net Weight	1.3kg

MOD. AT404

Cordless Polisher

- Brushless technology,
- High efficiency and durability
- Slender handle



Technical Data	
Disc Diameter	150/180mm
Rated Voltage	20V
Battery Type	4000mAh
No-Load Speed	1000-4500r/min
Motor Type	Brushless
Net Weight	1.6kg

MOD. AT602

Cordless Impact Wrench

- Brushless Motor
- Smart loosen function
- Ergonomic body design



Technical Data	
Square Drive Size	12.7mm
Rated Voltage	20V
Battery Type	4000mAh
No-Load Speed	0-2700r/min
Torque Setting	L:350N.m H:550N.m
Net Weight	1.7kg

MOD. AT601

Cordless Impact Wrench

- Brushless Motor
- Smart loosen function
- Ergonomic body design



Technical Data	
Square Drive Size	12.7mm
Rated Voltage	20V
Battery Type	4000mAh
No-Load Speed	0-2700r/min
Torque Setting	L:250N.m H:350N.m
Net Weight	1.3kg

MOD. AT102

Cordless Angle Grinder

- Brushless technology,
- High efficiency and durability
- Slender handle



Technical Data	
Disc Diameter	100/115/125mm
Rated Voltage	20V
Battery Type	4000mAh
No-Load Speed	7500r/min
Motor Type	Brushless
Net Weight	1.3kg

MOD. AT405

Cordless Polisher

- Brushless technology,
- High efficiency and durability
- Slender handle



Technical Data	
Disc Diameter	150mm
Rated Voltage	20V
Battery Type	4000mAh
No-Load Speed	1000-4000r/min
Motor Type	Brushless
Net Weight	1.6kg

MOD. AT801

Rechargeable angle drill

- Brushless technology,
- High efficiency and durability
- Slender handle



Technical Data	
Rated Voltage	20V
Battery Type	4000mAh
No-Load Speed	1000-4000r/min
Torque	10-50N.m
Net Weight	1.6kg

MOD. AT701

Lithium electric hammer

- Intelligent digital display
- Brushless motor



Technical Data	
Max Drilling Diameter	25mm
Rated Voltage	21V
No-Load Speed	0-980r/min
Hammering rate	0-4500/min
Hammering force	3.9J
Net Weight	2.5kg

MOD. AT103

Cordless Angle Grinder

- Brushless technology,
- High efficiency and durability
- Slender handle



Technical Data	
Disc Diameter	100/115/125mm
Rated Voltage	20V
Battery Type	4000mAh
No-Load Speed	7500r/min
Motor Type	Brushless
Net Weight	1.6kg

MOD. AT402

Cordless Waxing Machine

- Brushless technology.



Technical Data	
Collet Diameter	125/150mm
Rated Voltage	20V
No-Load Speed	2000-5500r/min
Rated Power Input	550W
Net Weight	0.8kg

MOD. AT401

Cordless Waxing Machine

- Brushless technology.



Technical Data	
Collet Diameter	125/150mm
Rated Voltage	12V
No-Load Speed	2000-5500r/min
Rated Power Input	550W
Net Weight	0.8kg

MOD. AT503

Cordless Die Grinder

- Brushless technology.



Technical Data	
Max. collect size	6mm
Max Grinding Diameter	25mm
Rated Voltage	20V
No-Load Speed	5000-25000r/min
Net Weight	1.5kg

MOD. AT3100A-1

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.
- Slender handle



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	850W
Net Weight	1.7kg

MOD. AT3103A-5/AT3103A-4

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	710W/850W
Net Weight	1.7kg

MOD. AT3103A-1

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.
- 850W motor with constant electronic.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	900W
Net Weight	1.9kg

MOD. AT3103A-3

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.
- 1100W motor with constant electronic.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	1100W
Net Weight	2.0kg

MOD. AT3104X

Angle Grinder

- The switch is in the belly of the machine.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	11000r/min
Rated Power Input	950W
Net Weight	2.0kg

MOD. AT3108A

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	3000-11000r/min
Rated Power Input	1200W
Net Weight	2.2kg

MOD. AT3112X/AT3112X-1

Angle Grinder

- Variable speed.
- Ergonomic handle.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	3000-11500r/min
Rated Power Input	900W/1100W
Net Weight	2.0kg

MOD. AT3113X

Angle Grinder

- 1200W High power.
- Variable speed.
- Ergonomic handle.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	3000-11500r/min
Rated Power Input	1200W
Net Weight	2.3kg

MOD. AT3122X

Angle Grinder

- 1600W High power.



Technical Data	
Disc Diameter	150/180mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500r/min
Rated Power Input	1600W
Net Weight	3.6kg

MOD. AT3134X

Angle Grinder

- 2000W powerful motor, high performance.
- Soft start optional.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6500r/min
Rated Power Input	2000W
Net Weight	5.0kg

MOD. AT3138X

Angle Grinder

- 2350W powerful motor, high performance.
- Soft start optional.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6600r/min
Rated Power Input	2350W
Net Weight	5.3kg

MOD. AT3135H

Angle Grinder

- Internal and auto-stop carbon brushes.
- 3 positions for side handle allow operator to work more convenient.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6600r/min
Rated Power Input	2400W
Net Weight	5.6kg

MOD. AT3100D-1

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	850W
Net Weight	1.7kg

MOD. AT3103D-5/AT3103D-4

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	710W/850W
Net Weight	1.7kg

MOD. AT3103D-1

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	900W
Net Weight	1.9kg

MOD. AT3103D-3

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	1100W
Net Weight	2.0kg

MOD. AT3104D

Angle Grinder

- The switch is in the belly of the machine.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	11000r/min
Rated Power Input	950W
Net Weight	2.0kg

MOD. AT3108D

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	3000-11000r/min
Rated Power Input	1200W
Net Weight	2.2kg

MOD. AT3112D/AT3112D-1

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	3000-11500r/min
Rated Power Input	900W/1100W
Net Weight	2.0kg

MOD. AT3113D

Angle Grinder

- 1200W High power.
- Variable speed.
- Ergonomic handle.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	3000-11500r/min
Rated Power Input	1200W
Net Weight	2.3kg

MOD. AT3118D

Angle Grinder

- 1400W High power.
- Variable speed.
- Ergonomic handle.



Technical Data	
Disc Diameter	125/150mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	3000-11000r/min / 8500r/min
Rated Power Input	1400W
Net Weight	2.5kg

MOD. AT3122D

Angle Grinder

- 1600W High power.



Technical Data	
Disc Diameter	150/180mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500r/min
Rated Power Input	1600W
Net Weight	3.6kg

MOD. AT3138D

Angle Grinder

- 2350W powerful motor, high performance.
- Soft start optional.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6600r/min
Rated Power Input	2350W
Net Weight	5.3kg

MOD. AT3135D

Angle Grinder

- Internal and auto-stop carbon brushes.
- 3 positions for side handle allow operator to work more convenient.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6600r/min
Rated Power Input	2400W
Net Weight	5.6kg

MOD. AT3100FH

Angle Grinder

- Slim body and new shape.



Technical Data	
Disc Diameter	100/115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	10000r/min
Rated Power Input	850W
Net Weight	1.7kg

MOD. AT3103FX-5/AT3103FX-4/AT3103FX-1

Angle Grinder

- Slim body and new shape.



Technical Data	
Disc Diameter	100/115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	10000r/min
Rated Power Input	710W/850W/900W
Net Weight	1.9kg

MOD. AT3103FX-3

Angle Grinder

- Slim body and new shape.



Technical Data	
Disc Diameter	100/115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	10000r/min
Rated Power Input	1100W
Net Weight	2.0kg

MOD. AT3107W

Angle Grinder

- Brushless motor is efficient and durable



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	10000r/min
Rated Power Input	1400W
Net Weight	1.5kg

MOD. AT3100B

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	11000r/min
Rated Power Input	750W
Net Weight	1.9kg

MOD. AT3108B

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	11000r/min
Rated Power Input	860W
Net Weight	2.0kg

MOD. AT3116

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.
- High-power and high-endurance.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-11000r/min
Rated Power Input	750W/850W
Net Weight	2.0kg

MOD. AT3107

Angle Grinder

- Slim body and new shape.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	115/125mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	3000-11000r/min
Rated Power Input	1010W/1200W
Net Weight	2.0kg

MOD. AT3138B

Angle Grinder

- 2350W powerful motor, high performance.
- Soft start optional.
- Rotary handle.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6500r/min
Rated Power Input	2350W
Net Weight	5.5kg

MOD. AT3136A

Angle Grinder

- Internal and auto-stop carbon brushes.
- 3 positions for side handle allow operator to work more convenient.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6500r/min
Rated Power Input	2400W
Net Weight	6.0kg

MOD. AT3139X

Angle Grinder

- Powerful 2600W motor.
- High torque motor and long life spans.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6500r/min
Rated Power Input	2600W
Net Weight	6.5kg

MOD. AT3140

Angle Grinder

- High torque motor and long life spans.
- High-power and high-endurance.



Technical Data	
Disc Diameter	180/230mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	8500/6500r/min
Rated Power Input	3000W
Net Weight	6.8kg

MOD. AT3201

Electric Drill

- Fashionable design.
- Variable speed.



Technical Data	
Chuck Diameter	6.5/10mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-4000r/min
Rated Power Input	400W
Net Weight	1.2kg

MOD. AT3250

Electric Screwdriver

- 600W high power motor, for dry wall screwing.



Technical Data	
Chuck Diameter	6/6.35mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-4500r/min
Rated Power Input	600W
Net Weight	1.7kg

MOD. AT3220B

Impact Drill

- Fashionable design.
- Variable speed.



Technical Data	
Chuck Diameter	13mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-3000r/min
Rated Power Input	580W
Net Weight	1.6kg

MOD. AT3220

Impact Drill

- New design with soft grip.
- Variable speed.



Technical Data	
Chuck Diameter	13mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-3000r/min
Rated Power Input	550W
Net Weight	1.9kg

MOD. AT3210X

Electric Drill

- Variable speed.
- Mini housing.
- Low weight.
- Robust and powerful 600W motor.



Technical Data	
Chuck Diameter	10mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-4000r/min
Rated Power Input	600W
Net Weight	1.4kg

MOD. AT3215A

Electric Drill

- 1200W motor.



Technical Data	
Chuck Diameter	16mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	1100r/min
Rated Power Input	1200W
Net Weight	4.0kg

MOD. AT3222B

Impact Drill

- New design with soft grip.
- Variable speed.



Technical Data	
Chuck Diameter	13mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-3000r/min
Rated Power Input	710W
Net Weight	1.7kg

MOD. AT3222

Impact Drill

- New design with soft grip.
- Variable speed.



Technical Data	
Chuck Diameter	13mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-3000r/min
Rated Power Input	710W
Net Weight	2.0kg

MOD. AT3209

Impact Drill

- Fashionable design.
- Variable speed.



Technical Data	
Chuck Diameter	10mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-3000r/min
Rated Power Input	750W
Net Weight	1.7kg

MOD. AT3215X

Electric Drill

- 1200W motor.
- Double insulation with sturdy aluminum housing.



Technical Data	
Chuck Diameter	16mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	1100r/min
Rated Power Input	1200W
Net Weight	4.0kg

MOD. AT3225B

Impact Drill

- 850W ergonomic soft grip.



Technical Data	
Chuck Diameter	13mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-3000r/min
Rated Power Input	850W
Net Weight	2.0kg

MOD. AT3225

Impact Drill

- 850W ergonomic soft grip.



Technical Data	
Chuck Diameter	13mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-3000r/min
Rated Power Input	850W
Net Weight	2.2kg

MOD. AT3501

Polishing Machine

- Constant power optional.
- Variable speed, durable gear!



Technical Data	
Cushion Size	150mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-4500r/min
Rated Power Input	550W
Net Weight	1.8kg

MOD. AT3501B

Polishing Machine

- Constant power optional.
- Variable speed, durable gear!



Technical Data	
Cushion Size	150mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	600-3000r/min
Rated Power Input	950W
Net Weight	2.6kg

MOD. AT2601C

Rotary Hammer

- Long lifetime.
- Always full power even for demanding applications.



Technical Data	
Max Drilling Diameter	26mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	820r/min
Impact Rates	4400b/min
Rated Power Input	950W
Net Weight	4.2kg

MOD. AT3263C

Rotary Hammer

- Compact model for convenient handling.
- 3 functions in 1 switch knob.



Technical Data	
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	0-1150r/min
Impact Rates	4800b/min
Rated Power Input	800W
Net Weight	3.1kg

MOD. AT3501C

Polishing Machine

- Constant power optional.
- Variable speed, durable gear!



Technical Data	
Cushion Size	180mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	600-3000r/min
Rated Power Input	1000W
Net Weight	2.6kg

MOD. AT3501A

Polishing Machine

- Constant power optional.
- Variable speed, durable gear!



Technical Data	
Cushion Size	180mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	600-3000r/min
Rated Power Input	1200W
Net Weight	3.2kg

MOD. AT2602C

Rotary Hammer

- Long lifetime.
- Always full power even for demanding applications.



Technical Data	
Max Drilling Diameter	26mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	1300r/min
Impact Rates	5300b/min
Rated Power Input	950W
Net Weight	3.7kg

MOD. AT35-2C

Rotary Hammer

- Long lifetime.
- Always full power even for demanding applications.



Technical Data	
Rated Voltage/Frequency	220/230V~ 50/60Hz
Impact Rates	3600b/min
Rated Power Input	1200W
Net Weight	5.78kg

MOD. AT3502B

Polishing Machine

- Constant power optional.
- Variable speed, durable gear!



Technical Data	
Cushion Size	180mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	600-3000r/min
Rated Power Input	1200W
Net Weight	3.5kg

MOD. AT3502A

Polishing Machine

- Constant power optional.
- Variable speed, durable gear!
- Soft rubber grip.



Technical Data	
Cushion Size	180mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	660-3500r/min
Rated Power Input	1400W
Net Weight	3.7kg

MOD. AT2801C

Rotary Hammer

- Long lifetime.
- Always full power even for demanding applications.



Technical Data	
Max Drilling Diameter	28mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	1050r/min
Rated Power Input	1200W
Net Weight	4.7kg

MOD. AT3105C

Rotary Hammer

- Long lifetime.
- Always full power even for demanding applications.



Technical Data	
Rated Voltage/Frequency	220/230V~ 50/60Hz
Impact Rates	1850b/min
Rated Power Input	1600W
Net Weight	14.18kg

MOD. AT3302

Die Grinder

- 500W high power, variable speed!
- Constant electronic for constant speed, also under heavy load.



Technical Data	
Max Grinding Diameter	25mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	7000-28000r/min
Rated Power Input	500W
Net Weight	1.6kg

MOD. AT3506

Die Grinder

- 500W high power, variable speed!
- Constant electronic for constant speed, also under heavy load.



Technical Data	
Max Grinding Diameter	25mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	7000-32000r/min
Rated Power Input	500W
Net Weight	1.7kg

MOD. AT3300A/AT3301X

Trimmer

- Fine depth adjustment with gear teeth, single speed.
- Ergonomic handling operation.
- Dust proof design



Technical Data	
Chuck Diameter	6.35mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	32000r/min
Rated Power Input	530W/630W
Net Weight	1.8kg

MOD. AT3608A

Marble Cutter

- Professional design with dust and water proof.
- Depth cutting adjustment.



Technical Data	
Disc Diameter	110mm
Cutting Capacity	90°34mm 45°21mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	13000r/min
Rated Power Input	1250W
Net Weight	2.2kg

MOD. AT3507A

Die Grinder

- 550W high power.
- Long slim grinding spindle for working even in hard-to-reach areas.



Technical Data	
Max Grinding Diameter	25mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	7000-30000r/min
Rated Power Input	550W
Net Weight	1.7kg

MOD. AT3507C

Die Grinder

- Latest design.
- Powerful 550W motor.



Technical Data	
Max Grinding Diameter	25mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	7000-30000r/min
Rated Power Input	550W
Net Weight	1.8kg

MOD. AT3602A

Jig Saw

- Tool-free blade changes.



Technical Data	
Adjusted Cutting Angle	-45°-+45°
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	500-2500r/min
Rated Power Input	600W
Net Weight	3.0kg

MOD. AT3609X

Marble Cutter

- Professional design with dust and water proof.
- Depth cutting adjustment.



Technical Data	
Disc Diameter	110mm
Cutting Capacity	90°34mm 45°21mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	13000r/min
Rated Power Input	1450W
Net Weight	2.2kg

MOD. AT3504X

Die Grinder

- 550W high power.



Technical Data	
Max Grinding Diameter	25mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	30000r/min
Rated Power Input	550W
Net Weight	1.7kg

MOD. AT3507D

Die Grinder

- Latest design.
- Powerful 550W motor.



Technical Data	
Max Grinding Diameter	25mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	7000-30000r/min
Rated Power Input	550W
Net Weight	1.8kg

MOD. AT3606X

Circular Saw

- 2300W high power.
- Compact tool design for best handling.



Technical Data	
Blade Diameter	235mm
Cutting Capacity	90°85mm 45°58mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	4000r/min
Rated Power Input	2300W
Net Weight	7.5kg

MOD. AT3610X

Marble Cutter

- Professional design with dust and water proof.
- Depth cutting adjustment.



Technical Data	
Disc Diameter	110mm
Cutting Capacity	90°34mm 45°21mm
Rated Voltage/Frequency	220/230V~ 50/60Hz
No-Load Speed	13000r/min
Rated Power Input	1600W
Net Weight	3.5kg